

PDGA Approved Golf Discs



February 25, 2015

| MANUFACTURER / DISTRIBUTOR | DISC MODEL | Max. Weight (g) | Diameter (cm) | Height (cm) | Rim Depth (cm) | Inside Rim Diameter (cm) | Rim Thickness (cm) | Rim Depth/ Diam. Ratio (%) | Rim Config. | Flexibility (kg) | Class S V * | Max Wt (g) Vint | Last Year Prod | Cert. # | Date Approved |
|----------------------------|---------------------------|-----------------|---------------|-------------|----------------|--------------------------|--------------------|----------------------------|-------------|------------------|-------------|-----------------|----------------|---------|---------------|
| 1080 Disc Golf | Radius | 175.1 | 21.1 | 2.0 | 1.5 | 19.0 | 1.0 | 7.1 | 51.75 | 7.03 | | | | 07-03 | 01/17/07 |
| ABC Discs | Bee Line | 175.1 | 21.1 | 1.6 | 1.1 | 16.2 | 2.5 | 5.2 | 26.25 | 8.39 | | | | 12-36 | 09/12/12 |
| ABC Discs | Flying Squirrel | 181.8 | 21.9 | 2.0 | 1.4 | 19.4 | 1.3 | 6.4 | 30.75 | 3.52 | | | | 10-13 | 05/29/10 |
| ABC Discs | Gamma Ray | 174.3 | 21.0 | 1.8 | 1.3 | 17.1 | 1.9 | 6.2 | 29.75 | 11.68 | | | | 10-07 | 04/09/10 |
| ABC Discs | Mission | 180.9 | 21.8 | 2.0 | 1.4 | 19.4 | 1.2 | 6.4 | 39.25 | 6.12 | | | | 10-22 | 07/27/10 |
| ABC Discs | Money | 174.3 | 21.0 | 2.2 | 1.7 | 19.0 | 1.0 | 8.1 | 56.50 | 11.11 | | | | 10-08 | 04/09/10 |
| ABC Discs | Secret Weapon | 175.1 | 21.1 | 2.0 | 1.1 | 17.3 | 1.9 | 5.2 | 26.75 | 7.26 | | | | 10-14 | 05/29/10 |
| Aerobie | Arrow - Approach & Putter | 177.6 | 21.4 | 1.8 | 1.1 | 18.4 | 1.5 | 5.1 | 30.75 | 10.66 | | | | 03-08 | 04/16/03 |
| Aerobie | Epic Driver | 175.1 | 21.1 | 1.4 | 1.1 | 14.5 | 2.5-4.1 | 5.2 | 26.50 | 12.02 | | | | 03-07 | 04/16/03 |
| Aerobie | Sharpshooter #1 | 176.0 | 21.2 | 1.7 | 1.3 | 17.1 | 2.1 | 6.1 | 26.75 | 11.11 | | | | 05-11 | 06/19/05 |
| Aerobie | Sharpshooter #2 | 175.1 | 21.1 | 1.7 | 1.2 | 18.1 | 1.6 | 5.7 | 26.75 | 9.52 | | | | 05-12 | 06/19/05 |
| Aerobie | Sharpshooter #3 | 176.8 | 21.3 | 1.7 | 1.3 | 18.8 | 1.3 | 6.1 | 38.25 | 11.57 | | | | 05-13 | 07/28/05 |
| AquaFlight Discs | Dragonfly | 174.3 | 21.0 | 1.6 | 1.1 | 19.1 | 1.4 | 5.2 | 43.00 | 8.05 | | | | 15-24 | 02/06/15 |
| AquaFlight Discs | Peace Frog | 174.3 | 21.0 | 2.2 | 1.6 | 19.1 | 1.0 | 7.6 | 63.75 | 5.67 | | | | 15-25 | 02/06/15 |
| AquaFlight Discs | Swift | 174.3 | 21.0 | 1.6 | 1.1 | 17.1 | 1.9 | 5.2 | 30.00 | 12.02 | | | | 15-26 | 02/06/15 |
| Axiom Discs | Alias | 178.5 | 21.5 | 1.8 | 1.2 | 19.1 | 1.2 | 5.6 | 61.50 | 8.96 | | | | 14-03 | 01/12/14 |
| Axiom Discs | Clash | 175.1 | 21.1 | 1.4 | 1.1 | 17.5 | 1.8 | 5.2 | 33.50 | 9.41 | | | | 14-54 | 06/10/14 |
| Axiom Discs | Crave | 175.1 | 21.1 | 1.4 | 1.2 | 17.4 | 1.8 | 5.7 | 27.75 | 9.98 | | | | 14-16 | 03/09/14 |
| Axiom Discs | Envy | 174.3 | 21.0 | 1.8 | 1.4 | 18.8 | 1.1 | 6.7 | 52.00 | 8.73 | | | | 14-04 | 01/12/14 |
| Axiom Discs | Fireball | 175.1 | 21.1 | 1.4 | 1.1 | 17.1 | 2.0 | 5.2 | 29.50 | 9.07 | | | | 14-94 | 12/19/14 |
| Axiom Discs | Insanity | 175.1 | 21.1 | 1.4 | 1.1 | 17.0 | 2.0 | 5.2 | 27.00 | 8.28 | | | | 14-95 | 12/19/14 |
| Axiom Discs | Inspire | 175.1 | 21.1 | 1.5 | 1.2 | 17.4 | 1.8 | 5.7 | 32.75 | 9.87 | | | | 14-20 | 03/22/14 |
| Axiom Discs | Proxy | 174.3 | 21.0 | 1.8 | 1.5 | 18.8 | 1.1 | 7.1 | 63.50 | 6.58 | | | | 14-74 | 09/24/14 |
| Axiom Discs | Theory | 178.5 | 21.5 | 1.9 | 1.3 | 19.1 | 1.2 | 6.0 | 50.00 | 6.35 | | | | 14-75 | 09/24/14 |
| Axiom Discs | Virus | 176.0 | 21.2 | 1.4 | 1.1 | 17.0 | 2.0 | 5.2 | 29.50 | 7.94 | | | | 14-96 | 12/19/14 |
| Axiom Discs | Wrath | 175.1 | 21.1 | 1.4 | 1.1 | 17.0 | 2.0 | 5.2 | 30.25 | 8.05 | | | | 14-97 | 12/19/14 |
| CHING Sports | Ching Big Heavy | 200.0 | 26.4 | 3.7 | 2.1 | 24.9 | 0.7 | 8.0 | 104.00 | 8.50 | S V | 176.9 | | 09-03 | 01/19/09 |
| CHING Sports | Bomb | 176.0 | 21.2 | 1.6 | 1.3 | 18.0 | 1.6 | 6.1 | 28.50 | 7.03 | | | | 99-02 | 02/14/99 |
| CHING Sports | Fusion Genesis | 176.8 | 21.3 | 1.4 | 1.1 | 16.9 | 2.2 | 5.2 | 30.00 | 9.30 | | | | 10-11 | 05/27/10 |
| CHING Sports | Fusion Juju | 176.8 | 21.3 | 2.2 | 1.5 | 19.8 | 0.8 | 7.0 | 76.50 | 5.90 | | | | 04-07 | 06/02/04 |
| CHING Sports | Fusion Legacy | 176.8 | 21.3 | 1.7 | 1.1 | 18.7 | 1.3 | 5.2 | 42.00 | 7.60 | | | | 10-12 | 05/27/10 |
| CHING Sports | Fusion Velocity | 176.0 | 21.2 | 1.7 | 1.2 | 17.6 | 1.8 | 5.7 | 28.50 | 8.85 | | | | 05-07 | 04/01/05 |
| CHING Sports | Power Celerity | 176.0 | 21.2 | 1.5 | 1.2 | 17.3 | 1.9 | 5.7 | 29.25 | 8.50 | | | | 08-15 | 03/13/08 |
| CHING Sports | Power Genesis | 176.0 | 21.2 | 1.5 | 1.2 | 16.8 | 2.2 | 5.7 | 27.50 | 6.12 | | | | 08-21 | 07/02/08 |
| CHING Sports | Power Juju | 176.0 | 21.2 | 2.5 | 1.5 | 19.5 | 0.9 | 7.1 | 71.50 | 4.20 | | | | 08-10 | 03/13/08 |
| CHING Sports | Power Legacy (Legacy) | 176.0 | 21.2 | 1.7 | 1.1 | 18.8 | 1.2 | 5.2 | 42.75 | 6.69 | | | | 06-26 | 05/11/06 |
| CHING Sports | Power Oracle (Oracle) | 176.0 | 21.2 | 1.8 | 1.1 | 18.8 | 1.2 | 5.2 | 42.75 | 6.58 | | | | 06-25 | 05/11/06 |
| CHING Sports | Power Precision | 176.8 | 21.3 | 2.2 | 1.4 | 18.7 | 1.3 | 6.6 | 48.25 | 8.05 | | | | 09-19 | 08/04/09 |
| CHING Sports | Power Prodigy | 176.8 | 21.3 | 1.6 | 1.2 | 17.4 | 1.9 | 5.6 | 28.00 | 9.30 | | | | 08-12 | 03/13/08 |
| CHING Sports | Power Velocity | 176.8 | 21.3 | 1.5 | 1.2 | 17.4 | 1.9 | 5.6 | 29.25 | 8.50 | | | | 08-13 | 03/13/08 |
| CHING Sports | Prodigy | 176.8 | 21.3 | 1.5 | 1.2 | 17.5 | 1.9 | 5.6 | 28.00 | 9.16 | | | | 07-48 | 07/15/07 |
| CHING Sports | Sniper | 176.0 | 21.2 | 1.6 | 1.2 | 18.6 | 1.3 | 5.7 | 40.00 | 7.03 | | | | 98-11 | 09/05/98 |
| CHING Sports | Stinger | 176.8 | 21.3 | 1.6 | 1.2 | 19.7 | 0.8 | 5.6 | 46.50 | 4.65 | | | | 00-03 | 01/19/00 |
| CHING Sports | Supreme Celerity | 176.8 | 21.3 | 1.6 | 1.2 | 17.4 | 1.9 | 5.6 | 29.25 | 5.10 | | | | 08-14 | 03/13/08 |
| CHING Sports | Supreme Genesis | 176.0 | 21.2 | 1.8 | 1.1 | 16.8 | 2.2 | 5.2 | 27.75 | 8.51 | | | | 12-21 | 05/02/12 |
| CHING Sports | Supreme Juju | 176.8 | 21.3 | 2.5 | 1.5 | 19.7 | 0.8 | 7.0 | 71.50 | 4.20 | | | | 04-09 | 08/22/04 |
| CHING Sports | Supreme Legacy | 176.8 | 21.3 | 1.6 | 1.1 | 18.7 | 1.3 | 5.2 | 38.75 | 3.63 | | | | 14-55 | 07/14/14 |
| CHING Sports | Supreme Oracle | 176.8 | 21.3 | 1.7 | 1.1 | 18.6 | 1.4 | 5.2 | 45.00 | 8.16 | | | | 14-98 | 12/23/14 |
| CHING Sports | Supreme Prodigy | 176.0 | 21.2 | 1.6 | 1.2 | 17.4 | 1.9 | 5.7 | 28.00 | 7.94 | | | | 08-11 | 03/13/08 |
| CHING Sports | Supreme Velocity | 176.0 | 21.2 | 1.6 | 1.2 | 17.5 | 1.8 | 5.7 | 29.25 | 4.31 | | | | 05-06 | 04/01/05 |

PDGA Approved Golf Discs



February 25, 2015

| MANUFACTURER / DISTRIBUTOR | DISC MODEL | Max. Weight (g) | Diameter (cm) | Height (cm) | Rim Depth (cm) | Inside Rim Diameter (cm) | Rim Thickness (cm) | Rim Depth/ Diam. Ratio (%) | Rim Config. | Flexibility (kg) | Class S V * | Max Wt (g) Vint | Last Year Prod | Cert. # | Date Approved |
|----------------------------|---------------------------------|-----------------|---------------|-------------|----------------|--------------------------|--------------------|----------------------------|-------------|------------------|-------------|-----------------|----------------|---------|---------------|
| CHING Sports | Tank | 176.0 | 21.2 | 2.0 | 1.3 | 19.4 | 0.9 | 6.1 | 59.75 | 5.10 | | | | 98-13 | 11/13/98 |
| CHING Sports | Ching Ultimate | 200.0 | 26.6 | 3.6 | 2.1 | 25.1 | 0.7 | 7.9 | 104.00 | 6.58 | S V | 178.2 | | 09-02 | 01/19/09 |
| Crosslap Discgolf Parks | Credo | 180.1 | 21.7 | 2.0 | 1.6 | 19.3 | 1.2 | 7.4 | 49.75 | 7.26 | | | | 11-30 | 06/26/11 |
| Crosslap Discgolf Parks | Lucky | 180.1 | 21.7 | 1.7 | 1.3 | 19.1 | 1.3 | 6.0 | 43.50 | 5.33 | | | | 12-18 | 04/22/12 |
| Daredevil Discs | Beaver | 176.0 | 21.2 | 2.2 | 1.6 | 19.3 | 0.9 | 7.5 | 50.50 | 3.97 | | | | 07-06 | 01/19/07 |
| Daredevil Discs | Bigfoot | 175.1 | 21.1 | 1.6 | 1.1 | 16.1 | 2.5 | 5.2 | 26.00 | 6.69 | | | | 12-29 | 06/05/12 |
| Daredevil Discs | Buffalo | 174.3 | 21.0 | 1.6 | 1.2 | 17.0 | 2.0 | 5.7 | 34.00 | 8.85 | | | | 14-84 | 10/31/14 |
| Daredevil Discs | Caribou | 180.9 | 21.8 | 2.1 | 1.3 | 19.3 | 1.3 | 6.0 | 40.75 | 7.14 | | | | 07-33 | 06/12/07 |
| Daredevil Discs | Gamedisc | 200.0 | 27.1 | 3.5 | 2.0 | 25.6 | 0.7 | 7.4 | 94.50 | 11.68 | S V | 181.6 | | 07-09 | 01/19/07 |
| Daredevil Discs | Grizzly | 181.8 | 21.9 | 2.0 | 1.3 | 19.3 | 1.3 | 5.9 | 42.25 | 6.92 | | | | 07-31 | 06/12/07 |
| Daredevil Discs | Mammoth | 175.1 | 21.1 | 1.7 | 1.2 | 17.1 | 2.0 | 5.7 | 29.25 | 5.22 | | | | 14-85 | 10/31/14 |
| Daredevil Discs | Moose | 180.9 | 21.8 | 2.1 | 1.3 | 19.3 | 1.3 | 6.0 | 41.00 | 4.31 | | | | 07-32 | 06/12/07 |
| Daredevil Discs | Ogopogo | 175.1 | 21.1 | 1.5 | 1.2 | 17.1 | 2.0 | 5.7 | 36.75 | 2.27 | | | | 14-86 | 10/31/14 |
| Daredevil Discs | Polar Bear | 176.0 | 21.2 | 2.0 | 1.5 | 19.3 | 1.0 | 7.1 | 62.50 | 4.20 | | | | 07-30 | 06/12/07 |
| Daredevil Discs | Sabertooth | 174.3 | 21.0 | 1.8 | 1.2 | 17.0 | 2.0 | 5.7 | 29.00 | 7.94 | | | | 14-87 | 10/31/14 |
| Daredevil Discs | Sasquatch | 174.3 | 21.0 | 1.7 | 1.1 | 16.0 | 2.5 | 5.2 | 26.50 | 11.23 | | | | 12-08 | 01/29/12 |
| Daredevil Discs | Swift Fox | 175.1 | 21.1 | 1.7 | 1.2 | 17.6 | 1.8 | 5.7 | 27.00 | 7.14 | | | | 07-04 | 01/19/07 |
| Daredevil Discs | Timberwolf | 175.1 | 21.1 | 1.6 | 1.2 | 17.5 | 1.8 | 5.7 | 27.00 | 5.78 | | | | 07-05 | 01/19/07 |
| Daredevil Discs | Wolverine | 176.0 | 21.2 | 1.8 | 1.2 | 17.5 | 1.8 | 5.7 | 27.50 | 10.32 | | | | 07-07 | 01/19/07 |
| Daredevil Discs | Woodchuck | 176.0 | 21.2 | 2.0 | 1.5 | 19.3 | 0.9 | 7.1 | 64.00 | 1.81 | | | | 07-08 | 01/19/07 |
| Daredevil Discs | Yeti | 175.1 | 21.1 | 1.6 | 1.1 | 16.1 | 2.5 | 5.2 | 26.00 | 8.05 | | | | 12-30 | 06/05/12 |
| Deity Discs | Chimera | 175.1 | 21.1 | 1.7 | 1.2 | 16.7 | 2.2 | 5.7 | 27.50 | 7.26 | | | | 14-11 | 02/22/14 |
| Disc Golf Aotearoa | Arcturus | 180.9 | 21.8 | 2.0 | 1.2 | 19.2 | 1.3 | 5.5 | 38.25 | 3.86 | | | | 07-37 | 06/22/07 |
| Disc Golf Aotearoa | DGD2 | 174.3 | 21.0 | 1.5 | 1.1 | 16.2 | 2.4 | 5.2 | 31.50 | 10.87 | | | | 15-21 | 01/28/15 |
| Disc Golf Aotearoa | Rapter | 175.1 | 21.1 | 1.4 | 1.2 | 17.1 | 2.0 | 5.7 | 26.25 | 8.05 | | | | 06-34 | 08/23/06 |
| Disc Golf Aotearoa | Rippa | 187.6 | 22.6 | 2.5 | 1.6 | 21.3 | 0.7 | 7.1 | 90.00 | 3.52 | V | 151.4 | | 07-36 | 06/22/07 |
| Disc Golf Aotearoa | Te Moko | 196.7 | 23.7 | 2.9 | 2.3 | 22.3 | 0.7 | 9.7 | 74.50 | 9.53 | S V | 158.8 | | 06-36 | 08/23/06 |
| Disc Golf Aotearoa | New Zealand 175g Ultimate Disc | 200.0 | 27.3 | 3.2 | 1.9 | 25.8 | 0.7 | 7.0 | 94.25 | 6.58 | S V | 182.2 | | 06-37 | 08/23/06 |
| Disc Golf Aotearoa | The Tui | 175.1 | 21.1 | 1.8 | 1.4 | 19.3 | 0.9 | 6.6 | 44.25 | 4.76 | | | | 06-35 | 08/23/06 |
| Disc Golf Association | #1 Hi Tec (modified Stingray) | 180.1 | 21.7 | 1.8 | 1.1 | 19.3 | 1.2 | 5.1 | 38.25 | 9.10 | | | | | |
| Disc Golf Association | #1 Professional Driver | 179.3 | 21.6 | 1.8 | 1.2 | 19.2 | 1.2 | 5.6 | 36.75 | 8.17 | | | | | |
| Disc Golf Association | #2 Hi Tec (modified Stingray) | 180.1 | 21.7 | 1.8 | 1.1 | 19.3 | 1.2 | 5.1 | 38.25 | 9.10 | | | | | |
| Disc Golf Association | #2 Professional Driver | 179.3 | 21.6 | 1.8 | 1.2 | 19.2 | 1.2 | 5.6 | 36.75 | 10.22 | | | | | |
| Disc Golf Association | #3 Hi Tec (modified Stingray) | 180.1 | 21.7 | 1.8 | 1.1 | 19.3 | 1.2 | 5.1 | 38.25 | 9.10 | | | | | |
| Disc Golf Association | #3 Professional Driver | 179.3 | 21.6 | 1.8 | 1.2 | 19.2 | 1.2 | 5.6 | 36.75 | 10.44 | | | | | |
| Disc Golf Association | #4 Approach | 179.3 | 21.6 | 1.8 | 1.1 | 19.2 | 1.2 | 5.1 | 34.75 | 12.25 | | | | | |
| Disc Golf Association | #4 Hi Tec (modified Stingray) | 180.1 | 21.7 | 1.8 | 1.1 | 19.3 | 1.2 | 5.1 | 38.25 | 9.10 | | | | | |
| Disc Golf Association | #5 Hi Tec (modified Stingray) | 180.1 | 21.7 | 1.8 | 1.1 | 19.3 | 1.2 | 5.1 | 38.25 | 9.10 | | | | | |
| Disc Golf Association | #5 Roller-Putter | 179.3 | 21.6 | 1.7 | 1.1 | 19.2 | 1.2 | 5.1 | 35.75 | 12.25 | | | | | |
| Disc Golf Association | Aftershock | 178.5 | 21.5 | 2.0 | 1.2 | 18.9 | 1.3 | 5.6 | 38.00 | 7.82 | | | | 09-06 | 02/26/09 |
| Disc Golf Association | Aftershock (D-Line) | 178.5 | 21.5 | 2.1 | 1.2 | 18.9 | 1.3 | 5.6 | 38.00 | 7.60 | | | | 09-11 | 04/09/09 |
| Disc Golf Association | Blowfly II | 180.1 | 21.7 | 2.3 | 1.7 | 18.9 | 1.4 | 7.8 | 46.60 | 1.13 | | | | 08-38 | 12/21/08 |
| Disc Golf Association | Blunt "Blowfly" | 178.5 | 21.5 | 2.7 | 1.1 | 18.5 | 1.5 | 5.1 | 52.50 | 2.38 | | | | 96-04 | 07/19/96 |
| Disc Golf Association | DGA Factor I (modified Viper) | 180.1 | 21.7 | 2.0 | 1.3 | 18.5 | 1.6 | 6.0 | 29.25 | 8.51 | | | | 92-06 | 08/08/92 |
| Disc Golf Association | DGA Factor I (modified Whippet) | 174.3 | 21.0 | 1.9 | 1.3 | 17.6 | 1.7 | 6.2 | 26.00 | 12.25 | | | | 92-07 | 08/08/92 |
| Disc Golf Association | DGA Factor IV (modified Aviar) | 176.0 | 21.2 | 2.1 | 1.5 | 19.4 | 0.9 | 7.1 | 55.75 | 8.68 | | | | 92-05 | 08/08/92 |
| Disc Golf Association | Driver | 174.3 | 21.0 | 2.9 | 1.5 | 19.6 | 0.6 | 7.1 | 86.25 | 7.60 | V | 140.7 | | 84-04 | 01/01/84 |
| Disc Golf Association | Fader | 174.3 | 21.0 | 2.6 | 1.4 | 19.5 | 0.7 | 6.7 | 74.00 | 4.43 | | | | 82-06 | 01/01/82 |
| Disc Golf Association | Fader 3 | 174.3 | 21.0 | 2.6 | 1.4 | 19.5 | 0.7 | 6.7 | 74.00 | 4.43 | | | | 82-08 | 01/01/82 |
| Disc Golf Association | Fader II | 174.3 | 21.0 | 2.6 | 1.4 | 19.5 | 0.7 | 6.7 | 74.00 | 4.43 | | | | 82-07 | 01/01/82 |

PDGA Approved Golf Discs



February 25, 2015

| MANUFACTURER / DISTRIBUTOR | DISC MODEL | Max. Weight (g) | Diameter (cm) | Height (cm) | Rim Depth (cm) | Inside Rim Diameter (cm) | Rim Thickness (cm) | Rim Depth/ Diam. Ratio (%) | Rim Config. | Flexibility (kg) | Class S V * | Max Wt (g) Vint | Last Year Prod | Cert. # | Date Approved |
|----------------------------|------------------------------|-----------------|---------------|-------------|----------------|--------------------------|--------------------|----------------------------|-------------|------------------|-------------|-----------------|----------------|---------|---------------|
| Disc Golf Association | Gumbputt | 180.1 | 21.7 | 2.2 | 1.9 | 20.2 | 0.7 | 8.8 | 86.75 | 2.72 | V | 145.4 | | 86-04 | 01/01/86 |
| Disc Golf Association | Hooker | 174.3 | 21.0 | 2.5 | 1.4 | 19.5 | 0.7 | 6.7 | 74.75 | 8.85 | | | | 82-02 | 01/01/82 |
| Disc Golf Association | Hurricane (Proline) | 175.1 | 21.1 | 1.6 | 1.2 | 16.5 | 2.3 | 5.7 | 27.00 | 12.02 | | | | 10-23 | 08/03/10 |
| Disc Golf Association | Hurricane (SP Line) | 175.1 | 21.1 | 1.8 | 1.2 | 16.5 | 2.3 | 5.7 | 27.00 | 10.21 | | | | 11-08 | 02/24/11 |
| Disc Golf Association | Kitty Hawk | 174.3 | 21.0 | 2.6 | 1.4 | 19.5 | 0.7 | 6.7 | 74.00 | 4.43 | | | | 82-01 | 01/01/82 |
| Disc Golf Association | Kitty Hawk Driver | 174.3 | 21.0 | 2.6 | 1.4 | 19.5 | 0.7 | 6.7 | 74.00 | 4.43 | | | | 82-05 | 01/01/82 |
| Disc Golf Association | Kitty Hawk Putter | 174.3 | 21.0 | 2.6 | 1.4 | 19.5 | 0.7 | 6.7 | 74.00 | 4.43 | | | | 82-04 | 01/01/82 |
| Disc Golf Association | Kitty Hawk Softouch | 195.1 | 23.5 | 3.0 | 1.6 | 22.9 | 0.3 | 6.8 | 85.25 | 4.43 | | | | 83-04 | 01/01/83 |
| Disc Golf Association | Kitty Hawk Softouch Sureshot | 193.4 | 23.3 | 2.7 | 1.6 | 22.7 | 0.3 | 6.9 | 81.50 | 4.43 | | | | 82-11 | 01/01/82 |
| Disc Golf Association | Powerdrive | 178.5 | 21.5 | 2.6 | 1.2 | 18.9 | 1.3 | 5.6 | 38.00 | 6.12 | | | | 86-06 | 01/01/86 |
| Disc Golf Association | Power Putter | 180.1 | 21.7 | | | | | | | | | | | 84-11 | 01/01/84 |
| Disc Golf Association | Proline Breaker | 174.3 | 21.0 | 1.7 | 1.2 | 19.0 | 1.0 | 5.7 | 62.00 | 12.02 | | | | 13-10 | 02/22/13 |
| Disc Golf Association | Putter | 174.3 | 21.0 | 2.6 | 1.4 | 19.5 | 0.8 | 6.7 | 63.75 | 9.10 | | | | 84-05 | 01/01/82 |
| Disc Golf Association | Putterdrive | 176.0 | 21.2 | 2.4 | 1.4 | 19.1 | 1.3 | 6.6 | 34.75 | 4.20 | | | | 86-05 | 01/01/86 |
| Disc Golf Association | Reef (Atlantis) | 176.0 | 21.2 | 2.1 | 1.4 | 19.4 | 0.9 | 6.6 | 49.25 | 7.03 | | | | 07-49 | 12/10/07 |
| Disc Golf Association | Shockwave | 178.5 | 21.5 | 2.2 | 1.3 | 18.9 | 1.3 | 6.0 | 47.75 | 7.60 | | | | 07-47 | 10/29/07 |
| Disc Golf Association | Softtouch (smaller) | 174.3 | 21.0 | 2.6 | 1.4 | 19.5 | 0.8 | 6.7 | 63.75 | 9.10 | | | | 84-06 | 01/01/84 |
| Disc Golf Association | Softtouch (larger) | 195.1 | 23.5 | 2.9 | 1.7 | 22.9 | 0.3 | 7.2 | 77.00 | | | | | 84-10 | 01/01/84 |
| Disc Golf Association | Sparkle Aftershock | 179.3 | 21.6 | 2.0 | 1.2 | 19.0 | 1.3 | 5.6 | 38.00 | 7.26 | | | | 09-07 | 02/26/09 |
| Disc Golf Association | Sparkle Reef | 176.0 | 21.2 | 2.1 | 1.4 | 19.2 | 1.0 | 6.6 | 49.25 | 5.10 | | | | 09-12 | 04/09/09 |
| Disc Golf Association | Steady | 176.0 | 21.2 | 2.0 | 1.4 | 19.3 | 1.0 | 6.6 | 56.00 | 6.92 | | | | 15-18 | 02/06/15 |
| Disc Golf Association | Streamliner | 180.1 | 21.7 | 2.1 | 1.7 | 19.2 | 1.3 | 7.8 | 40.00 | | | | | 84-07 | 01/01/84 |
| Disc Golf Association | Super Drive | 195.1 | 23.5 | | | | | | | | | | | 88-09 | 01/01/88 |
| Disc Golf Association | Sureshot | 174.3 | 21.0 | 2.6 | 1.4 | 19.5 | 0.8 | 6.7 | 63.75 | 9.10 | | | | 82-03 | 01/01/82 |
| Disc Golf Association | Titanic | 175.1 | 21.1 | 2.2 | 1.5 | 19.1 | 1.0 | 7.1 | 63.50 | 7.03 | | | | 07-42 | 09/19/07 |
| Disc Golf Association | Titanic (D-Line) | 174.3 | 21.0 | 2.0 | 1.5 | 19.0 | 1.0 | 7.1 | 63.50 | 8.28 | | | | 11-09 | 02/24/11 |
| Disc Golf Association | Torrent | 174.3 | 21.0 | 1.5 | 1.2 | 16.1 | 2.4 | 5.7 | 27.25 | 9.75 | | | | 14-29 | 03/25/14 |
| Disc Golf Association | Tsunami (D-Line) | 176.0 | 21.2 | 1.8 | 1.2 | 17.5 | 1.9 | 5.7 | 26.50 | 12.13 | | | | 08-39 | 12/21/08 |
| Disc Golf Association | Ultra Hi Tech, Approach #4 | 178.5 | 21.5 | 1.5 | 1.1 | 18.3 | 1.6 | 5.1 | 28.75 | 9.10 | | | | 95-11 | 03/21/95 |
| Disc Golf Association | Ultra Hi Tech, Putter #5 | 178.5 | 21.5 | 2.2 | 1.4 | 20.1 | 0.7 | 6.5 | 63.75 | 5.90 | | | | 95-12 | 03/21/95 |
| Disc Golf Association | Undertow (ProLine) | 178.5 | 21.5 | 1.6 | 1.2 | 17.3 | 2.1 | 5.6 | 28.25 | 10.77 | | | | 12-12 | 02/12/12 |
| Disc Golf Association | Undertow (SP-line) | 177.6 | 21.4 | 1.8 | 1.2 | 17.2 | 2.1 | 5.6 | 28.25 | 12.02 | | | | 12-09 | 02/03/12 |
| Discmania | CD - Craze | 176.0 | 21.2 | 1.3 | 1.1 | 17.3 | 1.9 | 5.2 | 28.50 | 10.43 | | | | 07-14 | 03/08/07 |
| Discmania | CD2 | 175.1 | 21.1 | 1.9 | 1.1 | 17.2 | 1.9 | 5.2 | 30.00 | 9.75 | | | | 14-70 | 09/05/14 |
| Discmania | DD - Hysteria | 175.1 | 21.1 | 1.6 | 1.2 | 16.7 | 2.2 | 5.7 | 30.25 | 9.19 | | | | 08-29 | 08/26/08 |
| Discmania | DD2 - Frenzy | 176.0 | 21.2 | 1.5 | 1.1 | 16.2 | 2.5 | 5.2 | 26.00 | 8.28 | | | | 10-24 | 08/18/10 |
| Discmania | FD - Jackal | 176.0 | 21.2 | 1.8 | 1.1 | 17.5 | 1.8 | 5.2 | 34.75 | 9.53 | | | | 11-41 | 11/13/11 |
| Discmania | FD2 | 176.0 | 21.2 | 2.0 | 1.1 | 17.5 | 1.8 | 5.2 | 37.25 | 11.57 | | | | 14-22 | 03/24/14 |
| Discmania | MD1 - Midrange Driver | 180.1 | 21.7 | 2.2 | 1.3 | 19.2 | 1.3 | 6.0 | 40.50 | 8.50 | | | | 06-47 | 11/14/06 |
| Discmania | MD2 - Fiend | 180.1 | 21.7 | 2.0 | 1.4 | 19.0 | 1.4 | 6.5 | 43.75 | 6.92 | | | | 10-05 | 04/04/10 |
| Discmania | MD3 - Midrange Driver | 180.9 | 21.8 | 1.9 | 1.3 | 19.0 | 1.4 | 6.0 | 44.50 | 9.19 | | | | 13-27 | 03/29/13 |
| Discmania | P1 - Maniac | 176.0 | 21.2 | 2.0 | 1.5 | 19.3 | 0.9 | 7.1 | 56.00 | 6.01 | | | | 07-12 | 03/08/07 |
| Discmania | P1x | 176.0 | 21.2 | 2.0 | 1.4 | 19.0 | 1.0 | 6.6 | 68.50 | 7.71 | | | | 14-81 | 10/21/14 |
| Discmania | P2 - Psycho | 176.0 | 21.2 | 2.1 | 1.5 | 19.2 | 1.0 | 7.1 | 58.25 | 7.03 | | | | 07-13 | 03/08/07 |
| Discmania | P3 - Putt & Approach | 176.0 | 21.2 | 2.0 | 1.2 | 19.2 | 1.0 | 5.7 | 59.00 | 9.30 | | | | 13-09 | 02/13/13 |
| Discmania | PD - Freak | 175.1 | 21.1 | 1.7 | 1.2 | 17.3 | 1.9 | 5.7 | 28.25 | 11.11 | | | | 08-22 | 07/02/08 |
| Discmania | PD2 - Chaos | 175.1 | 21.1 | 1.9 | 1.2 | 16.4 | 2.4 | 5.7 | 27.25 | 12.25 | | | | 10-40 | 12/03/10 |
| Discmania | TD - Rush | 176.0 | 21.2 | 1.6 | 1.1 | 17.3 | 1.9 | 5.2 | 27.50 | 8.05 | | | | 10-06 | 04/04/10 |
| Discmania | TD2 - Fever | 175.1 | 21.1 | 1.6 | 1.1 | 16.9 | 2.1 | 5.2 | 30.25 | 10.77 | | | | 12-37 | 09/12/12 |
| Discraft | APX | 174.3 | 21.0 | 2.3 | 1.4 | 19.2 | 0.9 | 6.7 | 49.25 | 7.03 | | | | 99-01 | 01/29/99 |

PDGA Approved Golf Discs

February 25, 2015



| MANUFACTURER / DISTRIBUTOR | DISC MODEL | Max. Weight (g) | Diameter (cm) | Height (cm) | Rim Depth (cm) | Inside Rim Diameter (cm) | Rim Thickness (cm) | Rim Depth/ Diam. Ratio (%) | Rim Config. | Flexibility (kg) | Class S V * | Max Wt (g) Vint | Last Year Prod | Cert. # | Date Approved |
|----------------------------|------------------------|-----------------|---------------|-------------|----------------|--------------------------|--------------------|----------------------------|-------------|------------------|-------------|-----------------|----------------|---------|---------------|
| Discraft | Avenger | 176.0 | 21.2 | 1.7 | 1.2 | 17.4 | 1.9 | 5.7 | 26.25 | 12.25 | | | | 05-08 | 05/03/05 |
| Discraft | Avenger-SS | 177.6 | 21.4 | 1.8 | 1.2 | 17.6 | 1.9 | 5.6 | 29.25 | 11.00 | | | | 08-04 | 02/21/08 |
| Discraft | Banger-GT | 176.0 | 21.2 | 2.0 | 1.6 | 19.2 | 1.0 | 7.5 | 65.75 | 7.60 | | | | 05-19 | 10/31/05 |
| Discraft | Breeze (Ace Race 2003) | 176.8 | 21.3 | 1.8 | 1.4 | 19.0 | 1.2 | 6.6 | 55.75 | 9.98 | | | | 03-14 | 09/30/03 |
| Discraft | Buzzz | 180.1 | 21.7 | 1.9 | 1.3 | 19.3 | 1.2 | 6.0 | 44.00 | 6.24 | | | | 03-15 | 09/30/03 |
| Discraft | Buzzz OS | 180.1 | 21.7 | 1.7 | 1.2 | 19.1 | 1.3 | 5.5 | 45.75 | 8.28 | | | | 14-58 | 07/19/14 |
| Discraft | Buzzz-SS | 179.3 | 21.6 | 2.1 | 1.3 | 19.0 | 1.3 | 6.0 | 43.50 | 9.87 | | | | 08-06 | 02/21/08 |
| Discraft | Buzzz-GT | 178.5 | 21.5 | 1.7 | 1.3 | 19.0 | 1.3 | 6.0 | 44.00 | 12.02 | | | | 08-07 | 02/21/08 |
| Discraft | Challenger | 174.3 | 21.0 | 2.2 | 1.6 | 19.0 | 1.0 | 7.6 | 61.50 | 8.39 | | | | 03-04 | 01/26/03 |
| Discraft | Comet | 180.9 | 21.8 | 2.1 | 1.3 | 19.4 | 1.2 | 6.0 | 35.25 | 10.43 | | | | 95-05 | 10/31/95 |
| Discraft | Crank | 175.1 | 21.1 | 1.6 | 1.1 | 16.3 | 2.4 | 5.2 | 30.00 | 10.09 | | | | 13-49 | 07/08/13 |
| Discraft | Cruiser | 177.6 | 21.4 | 1.8 | 1.2 | 18.1 | 1.7 | 5.6 | 34.50 | 8.62 | | | | 87-07 | 01/01/87 |
| Discraft | Cruiser-Windstar | 177.6 | 21.4 | 1.8 | 1.2 | 18.1 | 1.7 | 5.6 | 34.50 | 8.62 | | | | 89-10 | 01/01/89 |
| Discraft | Crush | 175.1 | 21.1 | 1.7 | 1.2 | 17.0 | 2.1 | 5.7 | 29.00 | 9.30 | | | | 03-13 | 09/07/03 |
| Discraft | Cyclone | 176.8 | 21.3 | 1.8 | 1.2 | 18.1 | 1.6 | 5.6 | 26.00 | 12.25 | | | | 93-05 | 07/14/93 |
| Discraft | Cyclone 2 | 176.8 | 21.3 | 1.8 | 1.2 | 18.1 | 1.6 | 5.6 | 26.00 | 11.57 | | | | 96-03 | 06/04/96 |
| Discraft | Deuce | 180.1 | 21.7 | 2.2 | 1.3 | 19.5 | 1.1 | 6.0 | 51.00 | 9.75 | | | | 90-12 | 01/01/90 |
| Discraft | Drone | 178.5 | 21.5 | 2.0 | 1.3 | 18.5 | 1.5 | 6.0 | 41.25 | 10.43 | | | | 05-03 | 02/28/05 |
| Discraft | Eclipse | 182.6 | 22.0 | 1.6 | 1.2 | 19.2 | 1.4 | 5.5 | 26.00 | 12.25 | | | | 89-01 | 01/01/89 |
| Discraft | Flash | 175.1 | 21.1 | 1.6 | 1.2 | 17.0 | 2.1 | 5.7 | 27.50 | 8.85 | | | | 04-03 | 04/14/04 |
| Discraft | Flick | 175.1 | 21.1 | 1.3 | 1.1 | 16.9 | 2.1 | 5.2 | 26.00 | 9.98 | | | | 04-10 | 08/22/04 |
| Discraft | Focus (Ace Race 2009) | 175.1 | 21.1 | 2.1 | 1.6 | 19.1 | 1.0 | 7.6 | 60.25 | 8.85 | | | | 09-20 | 09/09/09 |
| Discraft | Force | 175.1 | 21.1 | 1.7 | 1.2 | 16.5 | 2.3 | 5.7 | 26.00 | 11.79 | | | | 08-08 | 02/21/08 |
| Discraft | Glide (Ace Race 2004) | 178.5 | 21.5 | 2.0 | 1.3 | 18.6 | 1.5 | 6.0 | 36.50 | 11.11 | | | | 04-11 | 10/06/04 |
| Discraft | Impact (Ace Race 2007) | 179.3 | 21.6 | 2.0 | 1.3 | 19.0 | 1.3 | 6.0 | 33.75 | 5.78 | | | | 07-46 | 10/26/07 |
| Discraft | Heat (Ace Race 2014) | 175.1 | 21.1 | 2.1 | 1.2 | 17.2 | 1.9 | 5.7 | 29.50 | 11.00 | | | | 14-83 | 10/23/14 |
| Discraft | Hornet (Ace Race 2010) | 178.5 | 21.5 | 1.9 | 1.3 | 18.9 | 1.3 | 6.0 | 41.50 | 7.94 | | | | 10-38 | 11/19/10 |
| Discraft | Magnet | 176.0 | 21.2 | 2.0 | 1.4 | 19.6 | 0.8 | 6.6 | 47.75 | 8.85 | | | | 93-06 | 07/14/93 |
| Discraft | Mantis (Ace Race 2013) | 176.0 | 21.2 | 1.9 | 1.1 | 17.4 | 1.9 | 5.2 | 28.00 | 10.66 | | | | 13-74 | 12/01/13 |
| Discraft | Marauder | 185.1 | 22.3 | 2.0 | 1.2 | 19.3 | 1.5 | 5.4 | 30.25 | 10.77 | | | | 92-01 | 01/10/92 |
| Discraft | Meteor (Ace Race 2006) | 178.5 | 21.5 | 2.0 | 1.3 | 18.9 | 1.3 | 6.0 | 49.25 | 6.46 | | | | 06-42 | 09/21/06 |
| Discraft | MRV | 176.8 | 21.3 | 2.2 | 1.3 | 18.9 | 1.2 | 6.1 | 36.25 | 8.05 | | | | 00-01 | 01/10/00 |
| Discraft | MRX | 176.8 | 21.3 | 2.1 | 1.3 | 18.5 | 1.4 | 6.1 | 38.75 | 9.19 | | | | 98-05 | 06/28/98 |
| Discraft | Nebula (Ace Race 2008) | 176.8 | 21.3 | 2.0 | 1.3 | 18.7 | 1.3 | 6.1 | 44.50 | 7.03 | | | | 08-36 | 11/26/08 |
| Discraft | Nuke | 176.0 | 21.2 | 1.6 | 1.2 | 16.1 | 2.5 | 5.7 | 28.25 | 9.87 | | | | 09-27 | 10/31/09 |
| Discraft | Nuke OS | 176.0 | 21.2 | 1.6 | 1.2 | 16.2 | 2.5 | 5.7 | 30.75 | 8.16 | | | | 11-23 | 06/09/11 |
| Discraft | Nuke SS | 176.0 | 21.2 | 1.5 | 1.1 | 16.2 | 2.5 | 5.2 | 28.75 | 9.98 | | | | 11-15 | 04/07/11 |
| Discraft | Phantom | 177.6 | 21.4 | 2.2 | 1.1 | 19.4 | 1.0 | 5.1 | 47.75 | 10.21 | | | | 83-02 | 01/01/83 |
| Discraft | Phantom Deuce | 180.1 | 21.7 | 2.2 | 1.3 | 19.5 | 1.1 | 6.0 | 51.00 | 9.75 | | | | 90-13 | 01/01/90 |
| Discraft | Phantom Light | 177.6 | 21.4 | 2.0 | 1.1 | 19.2 | 1.1 | 5.1 | 50.25 | 8.62 | | | | 87-03 | 01/01/87 |
| Discraft | Phantom+ | 177.6 | 21.4 | 2.2 | 1.1 | 19.4 | 1.0 | 5.1 | 47.75 | 10.21 | | | | 86-01 | 01/01/86 |
| Discraft | Predator | 176.0 | 21.2 | 1.9 | 1.1 | 17.4 | 1.9 | 5.2 | 28.50 | 7.48 | | | | 02-06 | 05/29/02 |
| Discraft | Pulse | 176.0 | 21.2 | 1.7 | 1.3 | 17.1 | 2.1 | 6.1 | 29.75 | 10.21 | | | | 06-29 | 06/29/06 |
| Discraft | Putt'r | 174.3 | 21.0 | 2.4 | 1.6 | 19.2 | 0.9 | 7.6 | 78.75 | 8.28 | V | 140.7 | | 02-03 | 03/16/02 |
| Discraft | Rattler Putter | 176.0 | 21.2 | 2.2 | 1.6 | 20.0 | 0.6 | 7.5 | 84.25 | 4.99 | V | 142.0 | | 94-08 | 08/25/94 |
| Discraft | Reaper | 177.6 | 21.4 | 1.5 | 1.2 | 17.8 | 1.8 | 5.6 | 29.50 | 9.30 | | | | 01-05 | 08/20/01 |
| Discraft | Ringer | 174.3 | 21.0 | 1.8 | 1.2 | 19.2 | 0.9 | 5.7 | 67.75 | 6.12 | | | | 09-16 | 06/17/09 |
| Discraft | Riptide | 177.6 | 21.4 | 1.7 | 1.2 | 17.4 | 2.0 | 5.6 | 27.50 | 9.75 | | | | 03-11 | 07/10/03 |
| Discraft | Rogue | 175.1 | 21.1 | 1.7 | 1.2 | 16.8 | 2.2 | 5.7 | 28.25 | 12.02 | | | | 06-45 | 10/29/06 |
| Discraft | Shadow | 183.4 | 22.1 | 2.1 | 1.8 | 19.1 | 1.5 | 8.1 | 29.25 | 12.25 | | | | 90-06 | 12/14/90 |

PDGA Approved Golf Discs

February 25, 2015



| MANUFACTURER / DISTRIBUTOR | DISC MODEL | Max. Weight (g) | Diameter (cm) | Height (cm) | Rim Depth (cm) | Inside Rim Diameter (cm) | Rim Thickness (cm) | Rim Depth/ Diam. Ratio (%) | Rim Config. | Flexibility (kg) | Class S V * | Max Wt (g) Vint | Last Year Prod | Cert. # | Date Approved |
|----------------------------|-------------------------------|-----------------|---------------|-------------|----------------|--------------------------|--------------------|----------------------------|-------------|------------------|-------------|-----------------|----------------|---------|---------------|
| Discraft | Sky Pro | 200.0 | 24.1 | 2.5 | 1.6 | 23.0 | 0.5 | 6.6 | 89.00 | 4.08 | S V | 161.5 | | 79-03 | 01/01/79 |
| Discraft | Sky Streak | 186.8 | 22.5 | 2.5 | 1.6 | 21.0 | 0.8 | 7.1 | 82.00 | 9.07 | V | 150.8 | | 83-01 | 01/01/83 |
| Discraft | Sky-Star | 200.0 | 24.1 | 2.5 | 1.6 | 23.0 | 0.5 | 6.6 | 89.00 | 4.08 | S V | 161.5 | | 81-01 | 01/01/81 |
| Discraft | Sky-Styler | 200.0 | 26.7 | 3.8 | 2.1 | 25.6 | 0.6 | 7.9 | 109.25 | 4.88 | S V | 178.9 | | 80-07 | 01/01/80 |
| Discraft | Slipstream-GT (Ace Race 2005) | 176.8 | 21.3 | 1.7 | 1.3 | 17.5 | 1.9 | 6.1 | 29.25 | 9.30 | | | | 05-20 | 10/31/05 |
| Discraft | Spectra | 176.0 | 21.2 | 1.7 | 1.2 | 16.8 | 2.2 | 5.7 | 30.75 | 8.85 | | | | 05-18 | 10/31/05 |
| Discraft | Squall | 178.5 | 21.5 | 1.8 | 1.3 | 18.6 | 1.3 | 6.0 | 34.50 | 9.07 | | | | 03-12 | 07/10/03 |
| Discraft | Stalker | 179.3 | 21.6 | 1.6 | 1.2 | 18.4 | 1.6 | 5.6 | 32.50 | 8.51 | | | | 09-17 | 06/17/09 |
| Discraft | Storm | 177.6 | 21.4 | 1.8 | 1.3 | 18.8 | 1.3 | 6.1 | 35.75 | 10.66 | | | | 02-07 | 05/29/02 |
| Discraft | Stratus | 177.6 | 21.4 | 1.8 | 1.2 | 19.0 | 1.2 | 5.6 | 36.25 | 6.58 | | | | 97-04 | 04/12/97 |
| Discraft | Surge | 175.1 | 21.1 | 1.6 | 1.2 | 17.1 | 2.2 | 5.7 | 30.25 | 10.55 | | | | 06-02 | 02/08/06 |
| Discraft | Surge-SS | 175.1 | 21.1 | 1.6 | 1.2 | 16.8 | 2.1 | 5.7 | 29.25 | 7.48 | | | | 08-05 | 02/21/08 |
| Discraft | Talon | 174.3 | 21.0 | 1.5 | 1.1 | 17.5 | 1.8 | 5.2 | 28.25 | 9.30 | | | | 02-12 | 09/19/02 |
| Discraft | The Hawk | 178.5 | 21.5 | 1.8 | 1.2 | 19.1 | 1.2 | 5.6 | 33.00 | 11.10 | | | | 93-09 | 09/30/93 |
| Discraft | Torque | 179.3 | 21.6 | 1.9 | 1.3 | 19.1 | 1.3 | 6.0 | 43.25 | 6.46 | | | | 06-41 | 09/21/06 |
| Discraft | Tracer | 185.1 | 22.3 | 1.7 | 1.8 | 19.3 | 1.5 | 8.1 | 26.50 | 11.11 | | | | 90-05 | 10/20/90 |
| Discraft | Tracker | 176.0 | 21.2 | 1.7 | 1.2 | 17.7 | 1.8 | 5.7 | 32.50 | 11.23 | | | | 05-10 | 06/19/05 |
| Discraft | Tsunami | 177.6 | 21.4 | 1.9 | 1.2 | 17.5 | 1.9 | 5.6 | 28.50 | 9.41 | | | | 04-05 | 05/10/04 |
| Discraft | Typhoon | 181.8 | 21.9 | 1.8 | 1.2 | 18.9 | 1.5 | 5.5 | 26.00 | 11.11 | | | | 94-10 | 12/01/94 |
| Discraft | Ultra-Star | 200.0 | 27.3 | 3.2 | 2.0 | 25.8 | 0.7 | 7.3 | 88.25 | 7.14 | S V | 182.9 | | 81-02 | 01/01/81 |
| Discraft | Venom | 174.3 | 21.0 | 1.6 | 1.2 | 16.6 | 2.2 | 5.7 | 30.25 | 9.98 | | | | 05-04 | 03/22/05 |
| Discraft | Vortex | 180.1 | 21.7 | 1.6 | 1.3 | 19.0 | 1.4 | 6.0 | 26.25 | 9.98 | | | | 90-14 | 01/01/90 |
| Discraft | Wasp | 179.3 | 21.6 | 1.8 | 1.3 | 19.2 | 1.2 | 6.0 | 37.00 | 8.39 | | | | 02-13 | 09/29/02 |
| Discraft | Wildcat | 176.8 | 21.3 | 1.5 | 1.2 | 17.5 | 1.9 | 5.6 | 27.25 | 10.21 | | | | 02-08 | 05/29/02 |
| Discraft | Windstar | 177.6 | 21.4 | | | | | | | | | | | 89-05 | 01/01/89 |
| Discraft | X2 | 174.3 | 21.0 | 1.8 | 1.2 | 17.6 | 1.7 | 5.7 | 30.25 | 11.11 | | | | 98-03 | 02/16/98 |
| Discraft | X-Clone | 177.6 | 21.4 | 1.7 | 1.2 | 18.2 | 1.6 | 5.6 | 27.00 | 11.11 | | | | 95-01 | 02/09/95 |
| Discraft | XL | 175.1 | 21.1 | 2.1 | 1.2 | 17.7 | 1.7 | 5.7 | 32.25 | 8.50 | | | | 98-04 | 04/03/98 |
| Discraft | Xpress | 175.1 | 21.1 | 1.8 | 1.2 | 17.6 | 1.7 | 5.7 | 28.00 | 9.64 | | | | 00-15 | 12/05/00 |
| Discraft | XS | 175.1 | 21.1 | 1.8 | 1.2 | 17.6 | 1.8 | 5.7 | 27.50 | 8.51 | | | | 00-12 | 09/04/00 |
| Discraft | XTRA | 175.1 | 21.1 | 1.8 | 1.2 | 17.7 | 1.7 | 5.7 | 27.00 | 9.75 | | | | 00-05 | 03/15/00 |
| Discraft | Xtreme | 174.3 | 21.0 | 1.9 | 1.2 | 17.7 | 1.7 | 5.7 | 29.00 | 8.16 | | | | 00-02 | 01/01/00 |
| Discraft | Zeppelin (Ace Race 2011) | 183.4 | 22.1 | 2.0 | 1.5 | 20.3 | 0.9 | 6.8 | 62.00 | 8.39 | | | | 11-43 | 11/27/11 |
| Discraft | Zone | 175.1 | 21.1 | 2.0 | 1.3 | 18.8 | 1.2 | 6.2 | 46.00 | 10.55 | | | | 08-18 | 05/28/08 |
| Discraft | Zombie (Ace Race 2012) | 179.3 | 21.6 | 2.1 | 1.2 | 18.4 | 1.6 | 5.6 | 34.75 | 10.77 | | | | 12-50 | 11/13/12 |
| Discraft | Z-Nuke (retooled) | 175.1 | 21.1 | 1.6 | 1.2 | 16.1 | 2.5 | 5.7 | 28.25 | 11.45 | | | | 10-20 | 06/21/10 |
| Discwing | Crosshair | 176.0 | 21.2 | 1.9 | 1.4 | 19.4 | 0.9 | 6.6 | 59.75 | 6.69 | | | | 08-24 | 07/11/08 |
| Discwing | Fluent | 176.0 | 21.2 | 1.7 | 1.2 | 17.8 | 1.7 | 5.7 | 29.75 | 3.74 | | | | 10-17 | 06/03/10 |
| Discwing | Mark | 175.1 | 21.1 | 2.2 | 1.6 | 19.1 | 1.0 | 7.6 | 70.00 | 3.97 | | | | 10-18 | 06/03/10 |
| Discwing | Quarter K | 176.8 | 21.3 | 2.0 | 1.4 | 16.7 | 2.3 | 6.6 | 28.00 | 8.96 | | | | 05-01 | 03/22/05 |
| Discwing | Quarter K II | 174.3 | 21.0 | 1.8 | 1.1 | 16.8 | 2.1 | 5.2 | 28.00 | 7.60 | | | | 08-23 | 07/11/08 |
| Discwing | Transcend | 176.0 | 21.2 | 1.9 | 1.3 | 19.4 | 0.9 | 6.1 | 47.50 | 4.99 | | | | 08-25 | 07/11/08 |
| Discwing | Vantage | 175.1 | 21.1 | 1.8 | 1.2 | 18.1 | 1.5 | 5.7 | 33.00 | 4.20 | | | | 10-19 | 06/03/10 |
| DKG Disc Sports | Boom | 174.3 | 21.0 | 2.1 | 1.2 | 15.7 | 2.6 | 5.7 | 27.25 | 11.57 | | | | 10-27 | 09/03/10 |
| DKG Disc Sports | Hail Mary | 174.3 | 21.0 | 2.1 | 1.6 | 16.6 | 2.2 | 7.6 | 26.50 | 12.02 | | | | 10-01 | 04/04/10 |
| DKG Disc Sports | Kraken | 174.3 | 21.0 | 2.1 | 1.2 | 15.9 | 2.5 | 5.7 | 28.25 | 11.11 | | | | 10-28 | 09/03/10 |
| DKG Disc Sports | Merc | 174.3 | 21.0 | 2.0 | 1.1 | 15.7 | 2.6 | 5.2 | 26.25 | 11.91 | | | | 10-29 | 09/03/10 |
| DKG Disc Sports | Miracle | 174.3 | 21.0 | 2.2 | 1.6 | 17.2 | 1.9 | 7.6 | 40.75 | 11.11 | | | | 10-03 | 04/04/10 |
| DKG Disc Sports | Protégé | 174.3 | 21.0 | 2.0 | 1.2 | 15.7 | 2.6 | 5.7 | 28.50 | 12.02 | | | | 10-30 | 09/03/10 |
| DKG Disc Sports | Tempest | 174.3 | 21.0 | 2.0 | 1.3 | 16.0 | 2.5 | 6.2 | 26.75 | 12.13 | | | | 10-31 | 09/03/10 |

PDGA Approved Golf Discs

February 25, 2015



| MANUFACTURER / DISTRIBUTOR | DISC MODEL | Max. Weight (g) | Diameter (cm) | Height (cm) | Rim Depth (cm) | Inside Rim Diameter (cm) | Rim Thickness (cm) | Rim Depth/ Diam. Ratio (%) | Rim Config. | Flexibility (kg) | Class S V * | Max Wt (g) Vint | Last Year Prod | Cert. # | Date Approved |
|----------------------------|---------------------|-----------------|---------------|-------------|----------------|--------------------------|--------------------|----------------------------|-------------|------------------|-------------|-----------------|----------------|---------|---------------|
| DKG Disc Sports | Wing & A Prayer | 174.3 | 21.0 | 2.2 | 1.6 | 17.0 | 2.0 | 7.6 | 26.75 | 11.91 | | | | 10-02 | 04/04/10 |
| DMI Sports | Assault | 175.1 | 21.1 | 2.2 | 1.3 | 18.9 | 1.1 | 6.2 | 47.00 | 6.12 | | | | 13-06 | 02/08/13 |
| DMI Sports | Sabotage | 177.6 | 21.4 | 2.2 | 1.3 | 19.0 | 1.2 | 6.1 | 45.50 | 6.24 | | | | 13-07 | 02/08/13 |
| DMI Sports | Vendetta | 175.1 | 21.1 | 2.4 | 1.4 | 18.9 | 1.1 | 6.6 | 50.25 | 5.33 | | | | 13-08 | 02/08/13 |
| Dynamic Discs | Enforcer | 175.1 | 21.1 | 1.8 | 1.1 | 16.7 | 2.2 | 5.2 | 27.00 | 11.00 | | | | 14-34 | 04/07/14 |
| Dynamic Discs | Escape | 175.1 | 21.1 | 2.0 | 1.1 | 17.1 | 2.0 | 5.2 | 27.75 | 10.32 | | | | 12-56 | 12/07/12 |
| Dynamic Discs | Felon | 176.0 | 21.2 | 1.8 | 1.1 | 17.2 | 2.0 | 5.2 | 31.50 | 9.30 | | | | 13-56 | 07/14/14 |
| Dynamic Discs | Freedom | 176.0 | 21.2 | 1.6 | 1.1 | 16.3 | 2.4 | 5.2 | 27.25 | 8.73 | | | | 13-57 | 07/14/14 |
| Dynamic Discs | Fugitive | 180.9 | 21.8 | 2.1 | 1.3 | 19.1 | 1.4 | 6.0 | 39.00 | 7.82 | | | | 12-57 | 12/07/12 |
| Dynamic Discs | Judge | 176.0 | 21.2 | 2.0 | 1.5 | 18.9 | 1.1 | 7.1 | 58.25 | 4.20 | | | | 12-58 | 12/07/12 |
| Dynamic Discs | Renegade | 176.0 | 21.2 | 1.7 | 1.1 | 17.0 | 2.1 | 5.2 | 28.00 | 8.96 | | | | 13-28 | 04/04/13 |
| Dynamic Discs | Suspect | 176.8 | 21.3 | 1.6 | 1.2 | 18.9 | 1.2 | 5.6 | 47.50 | 7.60 | | | | 13-26 | 03/10/13 |
| Dynamic Discs | Thief | 176.0 | 21.2 | 1.8 | 1.1 | 17.3 | 1.9 | 5.2 | 34.25 | 9.19 | | | | 14-21 | 03/22/14 |
| Dynamic Discs | Trespass | 175.1 | 21.1 | 1.9 | 1.1 | 16.7 | 2.1 | 5.2 | 26.25 | 10.32 | | | | 12-59 | 12/07/12 |
| Dynamic Discs | Truth | 180.1 | 21.7 | 1.7 | 1.2 | 18.7 | 1.5 | 5.5 | 41.50 | 8.05 | | | | 13-39 | 06/18/13 |
| Dynamic Discs | Verdict | 180.1 | 21.7 | 1.7 | 1.2 | 18.7 | 1.5 | 5.5 | 43.25 | 7.71 | | | | 13-34 | 05/30/13 |
| Dynamic Discs | Warden | 176.0 | 21.2 | 2.0 | 1.5 | 19.1 | 1.1 | 7.1 | 66.25 | 4.65 | | | | 13-64 | 10/14/13 |
| Dynamic Discs | Witness | 175.1 | 21.1 | 1.8 | 1.1 | 17.3 | 1.9 | 5.2 | 32.25 | 8.85 | | | | 14-10 | 02/17/14 |
| Dynamic/Destiny Discs | Floater | 200.0 | 27.5 | 3.6 | 2.0 | 26.3 | 0.6 | 7.3 | 106.50 | 4.88 | S V | 184.3 | | 79-01 | 01/01/79 |
| Dynamic/Destiny Discs | Jeteye | 180.1 | 21.7 | 1.7 | 1.1 | 20.0 | 0.8 | 5.1 | 49.50 | 9.41 | | | | 89-04 | 01/01/89 |
| Dynamic/Destiny Discs | Long Ranger | 180.1 | 21.7 | 1.7 | 1.1 | 20.0 | 0.8 | 5.1 | 49.50 | 9.41 | | | | 89-03 | 01/01/89 |
| Dynamic/Destiny Discs | Puppy | 174.3 | 21.0 | 2.5 | 1.8 | 19.8 | 0.6 | 8.6 | 75.00 | 7.60 | V | 140.7 | | 80-01 | 01/01/80 |
| Dynamic/Destiny Discs | Super Puppy | 174.3 | 21.0 | 2.5 | 1.8 | 19.8 | 0.6 | 8.6 | 75.00 | 7.60 | V | 140.7 | | 80-02 | 01/01/80 |
| EMSCO Group | ESP Driver | 176.0 | 21.2 | 2.5 | 1.2 | 16.2 | 2.5 | 5.7 | 30.50 | 8.05 | | | | 12-02 | 01/08/12 |
| EMSCO Group | ESP Midrange | 178.5 | 21.5 | 2.5 | 1.2 | 18.8 | 1.3 | 5.6 | 29.00 | 7.14 | | | | 12-03 | 01/08/12 |
| EMSCO Group | ESP Putter | 174.3 | 21.0 | 2.7 | 1.4 | 19.0 | 1.0 | 6.7 | 56.00 | 7.37 | | | | 12-04 | 01/08/12 |
| Essential Discs | Honey | 176.0 | 21.2 | 1.7 | 1.3 | 18.8 | 1.2 | 6.1 | 47.75 | 11.45 | | | | 14-66 | 08/26/14 |
| Eurodisc | Delivery | 174.3 | 21.0 | 2.0 | 1.4 | 19.0 | 1.0 | 6.7 | 59.00 | 9.52 | | | | 12-60 | 12/11/12 |
| Eurodisc | Delivery Organic | 176.0 | 21.2 | 2.1 | 1.4 | 19.2 | 1.0 | 6.6 | 59.00 | 8.39 | | | | 13-35 | 05/30/13 |
| Eurodisc | Transition | 176.8 | 21.3 | 1.9 | 1.3 | 18.7 | 1.3 | 6.1 | 46.00 | 9.98 | | | | 12-61 | 12/11/12 |
| Eurodisc | Transition Organic | 178.5 | 21.5 | 2.1 | 1.3 | 18.9 | 1.3 | 6.0 | 46.00 | 8.73 | | | | 13-36 | 05/30/13 |
| Eurodisc | Transporter | 175.1 | 21.1 | 1.7 | 1.2 | 17.5 | 1.8 | 5.7 | 28.00 | 10.43 | | | | 12-62 | 12/11/12 |
| Eurodisc | Transporter Organic | 176.0 | 21.2 | 1.9 | 1.2 | 17.6 | 1.8 | 5.7 | 28.00 | 9.87 | | | | 13-37 | 05/30/13 |
| Fly High Discs | AK-47 | 174.3 | 21.0 | 2.2 | 1.5 | 19.0 | 1.0 | 7.1 | 59.25 | 7.48 | | | | 15-5 | 02/06/15 |
| Fly High Discs | Diesel | 177.6 | 21.4 | 1.6 | 1.1 | 16.9 | 2.2 | 5.1 | 33.25 | 11.57 | | | | 15-6 | 02/06/15 |
| Fly High Discs | Jack the Ripper | 174.3 | 21.0 | 1.7 | 1.1 | 17.1 | 1.9 | 5.2 | 33.50 | 10.66 | | | | 15-7 | 02/06/15 |
| Fly High Discs | KGB | 180.9 | 21.8 | 1.9 | 1.1 | 19.0 | 1.4 | 5.0 | 38.50 | 10.55 | | | | 15-8 | 02/06/15 |
| Fly High Discs | Train Wreck | 174.3 | 21.0 | 1.8 | 1.2 | 16.4 | 2.3 | 5.7 | 33.25 | 11.91 | | | | 15-9 | 02/06/15 |
| Fly High Discs | White Widow | 174.3 | 21.0 | 2.1 | 1.5 | 19.0 | 1.0 | 7.1 | 75.50 | 5.90 | | | | 15-10 | 02/06/15 |
| Ferris State University | Imagine | 191.7 | 23.1 | 2.9 | 1.4 | 21.8 | 0.6 | 6.1 | 73.00 | 3.40 | | | | 11-35 | 06/22/11 |
| Gateway Disc Sports | 844 Sabre | 175.1 | 21.1 | 2.2 | 1.2 | 17.7 | 1.7 | 5.7 | 27.00 | 10.77 | | | | 98-14 | 11/22/98 |
| Gateway Disc Sports | Apache | 174.3 | 21.0 | 2.0 | 1.2 | 17.6 | 1.7 | 5.7 | 27.50 | 10.21 | | | | 99-10 | 10/20/99 |
| Gateway Disc Sports | Apache (retooled) | 176.8 | 21.3 | 1.8 | 1.2 | 17.4 | 1.9 | 5.6 | 28.50 | 4.76 | | | | 09-15 | 04/16/09 |
| Gateway Disc Sports | Assassin | 174.3 | 21.0 | 1.9 | 1.1 | 17.2 | 1.9 | 5.2 | 34.50 | 10.77 | | | | 08-02 | 01/04/08 |
| Gateway Disc Sports | Assassin (retooled) | 174.3 | 21.0 | 1.9 | 1.1 | 17.1 | 1.9 | 5.2 | 34.50 | 8.62 | | | | 14-49 | 05/19/14 |
| Gateway Disc Sports | Blast DT | 176.8 | 21.3 | 1.6 | 1.1 | 17.0 | 2.1 | 5.2 | 27.75 | 9.19 | | | | 07-44 | 09/21/07 |
| Gateway Disc Sports | Blaze | 175.1 | 21.1 | 1.9 | 1.2 | 17.7 | 1.7 | 5.7 | 30.25 | 10.77 | | | | 99-11 | 10/20/99 |
| Gateway Disc Sports | Blurr | 176.8 | 21.3 | 1.7 | 1.1 | 17.0 | 2.2 | 5.2 | 28.00 | 12.02 | | | | 06-46 | 11/14/06 |
| Gateway Disc Sports | Chief | 174.3 | 21.0 | 2.1 | 1.5 | 19.0 | 1.0 | 7.1 | 60.50 | 9.53 | | | | 03-02 | 01/11/03 |
| Gateway Disc Sports | Chief (retooled) | 174.3 | 21.1 | 1.7 | 1.3 | 19.2 | 1.0 | 6.2 | 60.50 | 3.63 | | | | 14-50 | 05/19/14 |

PDGA Approved Golf Discs

February 25, 2015



| MANUFACTURER / DISTRIBUTOR | DISC MODEL | Max. Weight (g) | Diameter (cm) | Height (cm) | Rim Depth (cm) | Inside Rim Diameter (cm) | Rim Thickness (cm) | Rim Depth/ Diam. Ratio (%) | Rim Config. | Flexibility (kg) | Class S V * | Max Wt (g) Vint | Last Year Prod | Cert. # | Date Approved |
|----------------------------|---------------------|-----------------|---------------|-------------|----------------|--------------------------|--------------------|----------------------------|-------------|------------------|-------------|-----------------|----------------|---------|---------------|
| Gateway Disc Sports | Chief OS | 176.0 | 21.2 | 2.1 | 1.3 | 19.2 | 1.0 | 6.1 | 55.75 | 6.19 | | | | 15-13 | 02/06/15 |
| Gateway Disc Sports | Demon | 175.1 | 21.1 | 1.9 | 1.2 | 17.7 | 1.7 | 5.7 | 30.25 | 11.11 | | | | 00-11 | 09/05/00 |
| Gateway Disc Sports | Devilhawk | 176.0 | 21.2 | 2.1 | 1.3 | 19.2 | 1.0 | 6.1 | 70.25 | 7.14 | | | | 15-14 | 02/06/15 |
| Gateway Disc Sports | Diablo DT | 179.3 | 21.6 | 1.3 | 1.1 | 17.2 | 2.2 | 5.1 | 26.75 | 9.64 | | | | 07-22 | 03/29/07 |
| Gateway Disc Sports | Element | 183.4 | 22.1 | 1.7 | 1.3 | 19.6 | 1.3 | 5.9 | 39.50 | 6.35 | | | | 04-12 | 10/07/04 |
| Gateway Disc Sports | Element X | 181.8 | 21.9 | 1.9 | 1.2 | 19.3 | 1.8 | 5.5 | 42.50 | 9.98 | | | | 04-14 | 12/01/04 |
| Gateway Disc Sports | Hybrid | 176.0 | 21.2 | 2.2 | 1.3 | 17.8 | 1.7 | 6.1 | 32.50 | 8.96 | | | | 05-17 | 10/02/05 |
| Gateway Disc Sports | Illusion | 177.6 | 21.4 | 1.5 | 1.1 | 17.2 | 2.1 | 5.1 | 32.75 | 10.77 | | | | 04-06 | 05/27/04 |
| Gateway Disc Sports | Karma | 181.8 | 21.9 | 1.9 | 1.1 | 19.1 | 1.4 | 5.0 | 42.50 | 12.25 | | | | 12-13 | 03/18/12 |
| Gateway Disc Sports | Magic | 174.3 | 21.0 | 2.1 | 1.5 | 19.0 | 1.0 | 7.1 | 54.00 | 4.54 | | | | 08-01 | 01/04/08 |
| Gateway Disc Sports | Mystic | 180.9 | 21.8 | 1.9 | 1.1 | 18.8 | 1.5 | 5.0 | 49.75 | 12.02 | | | | 12-12 | 03/18/12 |
| Gateway Disc Sports | Mystic (retooled) | 182.6 | 22.0 | 2.0 | 1.1 | 19.0 | 1.5 | 5.0 | 49.75 | 11.34 | | | | 13-32 | 05/14/13 |
| Gateway Disc Sports | Rage | 177.6 | 21.4 | 1.8 | 1.2 | 16.9 | 2.2 | 5.6 | 26.25 | 10.89 | | | | 07-15 | 03/08/07 |
| Gateway Disc Sports | Rage (retooled) | 178.5 | 21.5 | 1.7 | 1.1 | 17.1 | 2.2 | 5.1 | 26.25 | 9.07 | | | | 13-52 | 08/29/13 |
| Gateway Disc Sports | Sabre | 176.0 | 21.2 | 1.8 | 1.2 | 17.8 | 1.7 | 5.7 | 27.00 | 10.77 | | | | 99-09 | 10/20/99 |
| Gateway Disc Sports | Savage | 176.8 | 21.3 | 1.8 | 1.2 | 17.4 | 1.9 | 5.6 | 30.00 | 5.33 | | | | 09-14 | 04/16/09 |
| Gateway Disc Sports | Samurai | 175.1 | 21.1 | 1.8 | 1.2 | 16.5 | 2.3 | 5.7 | 29.25 | 11.57 | | | | 12-19 | 04/22/12 |
| Gateway Disc Sports | Scout (new) | 180.9 | 21.8 | 2.1 | 1.1 | 19.0 | 1.4 | 5.0 | 58.75 | 9.41 | | | | 11-03 | 01/26/11 |
| Gateway Disc Sports | Scout (old) | 174.3 | 21.0 | 2.0 | 1.2 | 17.6 | 1.7 | 5.7 | 37.50 | 7.48 | | | | 00-10 | 09/05/00 |
| Gateway Disc Sports | Shaman | 176.0 | 21.2 | 1.8 | 1.3 | 19.2 | 1.0 | 6.1 | 65.75 | 8.39 | | | | 14-53 | 06/09/14 |
| Gateway Disc Sports | Slayer | 174.3 | 21.0 | 1.7 | 1.2 | 16.4 | 2.3 | 5.7 | 30.00 | 9.75 | | | | 11-18 | 06/23/11 |
| Gateway Disc Sports | Speed Demon | 177.6 | 21.4 | 1.8 | 1.1 | 17.0 | 2.2 | 5.1 | 27.00 | 10.89 | | | | 03-01 | 01/11/03 |
| Gateway Disc Sports | Speed Demon DT | 176.8 | 21.3 | 1.8 | 1.1 | 17.0 | 2.2 | 5.2 | 26.00 | 12.02 | | | | 06-33 | 08/17/06 |
| Gateway Disc Sports | Spirit | 176.0 | 21.2 | 1.8 | 1.1 | 17.0 | 2.1 | 5.2 | 26.00 | 12.25 | | | | 04-02 | 01/25/04 |
| Gateway Disc Sports | Voodoo | 175.1 | 21.1 | 2.1 | 1.6 | 19.1 | 1.0 | 7.6 | 62.00 | 3.52 | | | | 09-10 | 03/31/09 |
| Gateway Disc Sports | Warlock | 175.1 | 21.1 | 2.3 | 1.6 | 19.1 | 1.0 | 7.6 | 56.25 | 6.46 | | | | 07-16 | 03/08/07 |
| Gateway Disc Sports | Warrior (new) | 182.6 | 22.0 | 1.9 | 1.2 | 19.3 | 1.4 | 5.5 | 42.50 | 4.76 | | | | 10-9 | 04/09/10 |
| Gateway Disc Sports | Warrior (old) | 174.3 | 21.0 | 2.1 | 1.2 | 17.6 | 1.7 | 5.7 | 33.50 | 11.79 | | | | 99-12 | 10/20/99 |
| Gateway Disc Sports | Warspear | 176.0 | 21.2 | 1.8 | 1.3 | 19.2 | 1.0 | 6.1 | 77.75 | 6.92 | | | | 15-15 | 02/06/15 |
| Gateway Disc Sports | Wizard | 174.3 | 21.0 | 2.1 | 1.8 | 19.0 | 1.0 | 8.6 | 59.25 | 10.43 | | | | 02-01 | 01/09/02 |
| Hero Leports Co., Ltd. | Guardian | 176.8 | 21.3 | 2.1 | 1.5 | 19.3 | 1.0 | 7.0 | 54.75 | 4.08 | | | | 09-26 | 10/30/09 |
| Innova-Champion Discs | Ace | 175.1 | 21.1 | 1.6 | 1.2 | 17.9 | 1.6 | 5.7 | 27.75 | 10.09 | | | | 01-10 | 11/27/01 |
| Innova-Champion Discs | Ape | 175.1 | 21.1 | 1.5 | 1.2 | 16.2 | 2.4 | 5.7 | 27.75 | 12.13 | | | | 11-04 | 02/18/11 |
| Innova-Champion Discs | Aero | 180.1 | 21.7 | 2.5 | 1.3 | 19.6 | 1.0 | 6.0 | 43.75 | 8.16 | | | | 83-03 | 01/01/83 |
| Innova-Champion Discs | Apple | 200.0 | 26.4 | 3.2 | 2.0 | 25.1 | 0.7 | 7.6 | 93.25 | 4.99 | S V | 176.9 | | 95-13 | 08/10/95 |
| Innova-Champion Discs | Archangel | 175.1 | 21.1 | 1.6 | 1.5 | 17.3 | 1.9 | 7.1 | 31.25 | 9.19 | | | | 01-06 | 08/21/01 |
| Innova-Champion Discs | Archon | 175.1 | 21.1 | 1.7 | 1.2 | 16.6 | 2.3 | 5.7 | 28.25 | 11.45 | | | | 11-11 | 03/09/11 |
| Innova-Champion Discs | Atlas | 180.9 | 21.8 | 1.7 | 1.4 | 19.1 | 1.4 | 6.4 | 46.25 | 4.42 | | | | 13-40 | 06/18/13 |
| Innova-Champion Discs | Aviar | 176.0 | 21.2 | 2.0 | 1.5 | 19.4 | 0.9 | 7.1 | 55.75 | 11.34 | | | | 84-01 | 01/01/84 |
| Innova-Champion Discs | Aviar Putter | 176.0 | 21.2 | 2.0 | 1.5 | 19.4 | 0.9 | 7.1 | 55.75 | 4.59 | | | | 87-04 | 01/01/87 |
| Innova-Champion Discs | Aviar XD | 176.0 | 21.2 | 2.1 | 1.1 | 19.4 | 0.9 | 5.2 | 52.50 | 9.10 | | | | 84-08 | 01/01/84 |
| Innova-Champion Discs | Aviar XD (retooled) | 176.0 | 21.2 | 2.0 | 1.2 | 19.4 | 0.9 | 5.7 | 42.75 | 8.96 | | | | 90-09 | 01/01/90 |
| Innova-Champion Discs | Banshee | 176.0 | 21.2 | 1.5 | 1.2 | 17.6 | 1.8 | 5.7 | 29.25 | 6.58 | | | | 98-01 | 01/14/98 |
| Innova-Champion Discs | Barracuda | 186.8 | 22.5 | 1.7 | 1.2 | 19.3 | 1.6 | 5.3 | 30.75 | 11.75 | | | | 90-04 | 09/16/90 |
| Innova-Champion Discs | Beast | 176.0 | 21.2 | 1.4 | 1.1 | 17.1 | 2.0 | 5.2 | 26.76 | 8.96 | | | | 02-11 | 12/02/02 |
| Innova-Champion Discs | Birdie | 175.1 | 21.1 | 2.3 | 1.9 | 19.7 | 0.7 | 9.0 | 98.25 | 11.80 | V | 142.0 | | 91-03 | 05/13/91 |
| Innova-Champion Discs | Birdie (retooled) | 176.0 | 21.2 | 2.4 | 1.9 | 19.8 | 0.7 | 9.0 | 98.25 | 11.80 | V | 142.0 | | 98-09 | 05/13/91 |
| Innova-Champion Discs | Boss | 176.0 | 21.2 | 1.5 | 1.2 | 16.2 | 2.5 | 5.7 | 26.00 | 7.60 | | | | 08-28 | 08/26/08 |
| Innova-Champion Discs | Bulldog | 175.1 | 21.1 | 2.0 | 1.6 | 18.6 | 1.3 | 7.6 | 45.00 | 12.02 | | | | 04-08 | 07/08/04 |
| Innova-Champion Discs | CE Aero | 182.6 | 22.0 | 2.3 | 1.3 | 20.0 | 1.0 | 5.9 | 43.75 | 4.54 | | | | 02-09 | 06/05/02 |

PDGA Approved Golf Discs



February 25, 2015

| MANUFACTURER / DISTRIBUTOR | DISC MODEL | Max. Weight (g) | Diameter (cm) | Height (cm) | Rim Depth (cm) | Inside Rim Diameter (cm) | Rim Thickness (cm) | Rim Depth/ Diam. Ratio (%) | Rim Config. | Flexibility (kg) | Class S V * | Max Wt (g) Vint | Last Year Prod | Cert. # | Date Approved |
|----------------------------|--------------------|-----------------|---------------|-------------|----------------|--------------------------|--------------------|----------------------------|-------------|------------------|-------------|-----------------|----------------|---------|---------------|
| Innova-Champion Discs | CE Aviar | 176.8 | 21.3 | 2.0 | 1.5 | 19.5 | 0.9 | 7.0 | 55.75 | 6.01 | | | | 01-14 | 06/02/01 |
| Innova-Champion Discs | CE Eagle | 176.0 | 21.2 | 1.6 | 1.2 | 17.8 | 1.7 | 5.7 | 29.50 | 9.75 | | | | 01-12 | 02/07/01 |
| Innova-Champion Discs | CE FireBird | 176.0 | 21.2 | 1.4 | 1.2 | 17.4 | 1.9 | 5.7 | 26.75 | 9.75 | | | | 01-16 | 06/12/01 |
| Innova-Champion Discs | CE Leopard | 175.1 | 21.1 | 1.6 | 1.1 | 17.9 | 1.6 | 5.2 | 29.25 | 8.85 | | | | 01-11 | 01/29/01 |
| Innova-Champion Discs | CE Spider | 176.0 | 21.2 | 1.7 | 1.4 | 18.6 | 1.3 | 6.6 | 45.00 | 6.46 | | | | 02-10 | 08/12/02 |
| Innova-Champion Discs | CE TeeBird | 176.0 | 21.2 | 1.5 | 1.1 | 17.8 | 1.7 | 5.2 | 29.25 | 8.28 | | | | 01-15 | 06/02/01 |
| Innova-Champion Discs | CE Valkyrie | 176.0 | 21.2 | 1.4 | 1.2 | 17.4 | 1.9 | 5.7 | 26.00 | 11.11 | | | | 01-13 | 02/25/01 |
| Innova-Champion Discs | Cheetah | 175.1 | 21.1 | 1.9 | 1.2 | 17.9 | 1.6 | 5.7 | 28.25 | 10.54 | | | | 95-04 | 10/10/95 |
| Innova-Champion Discs | Cheetah (retooled) | 176.0 | 21.2 | 1.9 | 1.2 | 18.0 | 1.6 | 5.7 | 28.25 | 10.54 | | | | 98-10 | 07/28/98 |
| Innova-Champion Discs | Classic Ace | 176.0 | 21.2 | 2.2 | 1.1 | 19.4 | 0.9 | 5.2 | 50.50 | 8.85 | | | | 86-02 | 01/01/86 |
| Innova-Champion Discs | Classic Roc | 176.0 | 21.2 | 2.0 | 1.2 | 19.4 | 0.9 | 5.7 | 42.75 | 8.96 | | | | 94-11 | 01/01/94 |
| Innova-Champion Discs | Cobra | 180.1 | 21.7 | 2.0 | 1.1 | 19.3 | 1.2 | 5.1 | 35.25 | 9.10 | | | | 88-02 | 01/01/88 |
| Innova-Champion Discs | Cobra Classic | 180.1 | 21.7 | 2.1 | 1.1 | 19.3 | 1.2 | 5.1 | 35.25 | 8.85 | | | | 94-12 | 01/01/94 |
| Innova-Champion Discs | Condor | 200.0 | 24.1 | 2.2 | 1.6 | 21.5 | 1.3 | 6.6 | 49.25 | 12.25 | | | | 91-04 | 05/13/91 |
| Innova-Champion Discs | Coupe | 176.0 | 21.2 | 2.0 | 1.3 | 19.4 | 0.9 | 6.1 | 50.00 | 8.16 | | | | 85-01 | 01/01/85 |
| Innova-Champion Discs | Coyote | 180.1 | 21.7 | 1.9 | 1.3 | 19.4 | 1.2 | 6.0 | 47.25 | 5.56 | | | | 05-09 | 06/07/05 |
| Innova-Champion Discs | CRO | 176.0 | 21.2 | 2.0 | 1.4 | 18.5 | 1.3 | 6.6 | 48.50 | 6.24 | | | | 07-34 | 06/21/06 |
| Innova-Champion Discs | Daedalus | 175.1 | 21.1 | 1.5 | 1.2 | 16.4 | 2.3 | 5.7 | 26.25 | 8.05 | | | | 14-09 | 02/17/14 |
| Innova-Champion Discs | Dart | 176.0 | 21.2 | 2.2 | 1.4 | 18.8 | 1.2 | 6.6 | 38.00 | 5.10 | | | | 09-05 | 02/18/09 |
| Innova-Champion Discs | Destroyer | 175.1 | 21.1 | 1.4 | 1.2 | 16.7 | 2.2 | 5.7 | 30.50 | 10.66 | | | | 07-38 | 06/26/07 |
| Innova-Champion Discs | Dolphin | 177.6 | 21.4 | 2.1 | 1.2 | 18.2 | 1.6 | 5.6 | 41.50 | 7.94 | | | | 94-03 | 02/21/94 |
| Innova-Champion Discs | Dominator | 175.1 | 21.1 | 1.4 | 1.1 | 16.2 | 2.4 | 5.2 | 27.75 | 11.45 | | | | 12-06 | 01/22/12 |
| Innova-Champion Discs | Dragon | 174.3 | 21.0 | 1.9 | 1.2 | 17.4 | 1.8 | 5.7 | 32.00 | 6.12 | | | | 01-01 | 03/24/01 |
| Innova-Champion Discs | Eagle (old) | 180.1 | 21.7 | 2.5 | 1.3 | 19.6 | 1.0 | 6.0 | 43.75 | 8.16 | | | | 82-09 | 01/01/82 |
| Innova-Champion Discs | Eagle (new) | 176.0 | 21.2 | 1.6 | 1.2 | 17.8 | 1.7 | 5.7 | 29.50 | 7.82 | | | | 99-04 | 03/12/99 |
| Innova-Champion Discs | Firebird | 175.1 | 21.1 | 1.4 | 1.2 | 17.3 | 1.9 | 5.7 | 26.75 | 9.75 | | | | 00-06 | 03/21/00 |
| Innova-Champion Discs | Firebird L (FL) | 175.1 | 21.1 | 1.7 | 1.2 | 17.3 | 1.9 | 5.7 | 29.25 | 6.46 | | | | 07-02 | 01/17/07 |
| Innova-Champion Discs | Foxbat | 180.1 | 21.7 | 2.2 | 1.4 | 19.0 | 1.4 | 6.5 | 33.50 | 7.37 | | | | 13-65 | 10/22/13 |
| Innova-Champion Discs | Gator | 176.0 | 21.2 | 1.9 | 1.4 | 18.6 | 1.3 | 6.6 | 49.50 | 10.32 | | | | 00-04 | 01/21/00 |
| Innova-Champion Discs | Gazelle | 176.0 | 21.2 | 1.8 | 1.2 | 18.0 | 1.6 | 5.7 | 28.25 | 10.54 | | | | 94-02 | 03/08/94 |
| Innova-Champion Discs | Goblin | 176.0 | 21.2 | 2.2 | 1.3 | 19.3 | 1.0 | 6.1 | 44.25 | 7.26 | | | | 06-12 | 03/06/06 |
| Innova-Champion Discs | Gopher | 190.1 | 22.9 | 2.5 | 2.1 | 21.5 | 0.7 | 9.2 | 84.25 | 4.76 | V | 153.4 | | 94-07 | 08/09/94 |
| Innova-Champion Discs | Gremlin | 176.0 | 21.2 | 1.8 | 1.2 | 18.5 | 1.4 | 5.7 | 45.25 | 9.75 | | | | 07-28 | 06/05/07 |
| Innova-Champion Discs | Griffin | 176.0 | 21.2 | 2.0 | 1.3 | 17.8 | 1.7 | 6.1 | 33.25 | 8.80 | | | | 93-08 | 09/22/93 |
| Innova-Champion Discs | Groove | 175.1 | 21.1 | 1.7 | 1.2 | 16.3 | 2.4 | 5.7 | 28.00 | 10.21 | | | | 08-37 | 12/05/08 |
| Innova-Champion Discs | Hammer | 180.1 | 21.7 | 2.1 | 1.1 | 19.3 | 1.2 | 5.1 | 36.75 | 9.96 | | | | 87-06 | 01/01/87 |
| Innova-Champion Discs | Hero Disc Type 235 | 196.7 | 23.7 | 2.9 | 2.8 | 22.5 | 0.6 | 11.8 | 77.75 | 3.74 | S V | 158.8 | | 04-15 | 07/08/04 |
| Innova-Champion Discs | Hydra | 175.1 | 21.1 | 2.0 | 1.4 | 18.3 | 1.4 | 6.6 | 44.75 | 7.82 | | | | 04-04 | 05/10/04 |
| Innova-Champion Discs | Jaguar | 200.0 | 24.1 | 1.7 | 1.4 | 20.9 | 1.6 | 5.8 | 36.00 | 10.22 | | | | 91-06 | 11/05/91 |
| Innova-Champion Discs | Katana | 176.0 | 21.2 | 1.8 | 1.2 | 16.3 | 2.5 | 5.7 | 26.25 | 10.32 | | | | 09-23 | 10/18/09 |
| Innova-Champion Discs | Kite | 176.0 | 21.2 | 1.9 | 1.3 | 17.9 | 1.6 | 6.1 | 36.25 | 9.53 | | | | 07-11 | 02/11/07 |
| Innova-Champion Discs | Krait | 176.0 | 21.2 | 2.3 | 1.2 | 16.6 | 2.3 | 5.7 | 30.25 | 12.13 | | | | 12-20 | 05/02/12 |
| Innova-Champion Discs | Leopard | 176.0 | 21.2 | 1.6 | 1.1 | 18.0 | 1.6 | 5.2 | 29.25 | 7.60 | | | | 99-07 | 05/12/99 |
| Innova-Champion Discs | Lycan | 180.9 | 21.8 | 2.1 | 1.4 | 18.8 | 1.5 | 6.4 | 49.75 | 10.09 | | | | 11-42 | 11/13/11 |
| Innova-Champion Discs | Lynx | 200.0 | 24.1 | 2.5 | 1.6 | 21.5 | 1.3 | 6.6 | 45.75 | 12.25 | | | | 90-02 | 06/21/90 |
| Innova-Champion Discs | Mako | 180.1 | 21.7 | 2.1 | 1.4 | 19.3 | 1.2 | 6.5 | 52.75 | 8.96 | | | | 09-22 | 09/18/09 |
| Innova-Champion Discs | Mamba | 175.1 | 21.1 | 1.7 | 1.1 | 16.9 | 2.1 | 5.2 | 27.50 | 8.48 | | | | 12-07 | 01/22/12 |
| Innova-Champion Discs | Max | 176.0 | 21.2 | 1.9 | 1.2 | 16.8 | 2.2 | 5.7 | 34.00 | 10.43 | | | | 06-40 | 09/21/06 |
| Innova-Champion Discs | Monarch | 175.1 | 21.1 | 1.6 | 1.2 | 17.0 | 2.1 | 5.7 | 30.75 | 10.21 | | | | 08-20 | 06/02/08 |
| Innova-Champion Discs | Monster | 176.0 | 21.2 | 1.4 | 1.2 | 17.2 | 2.0 | 5.7 | 32.25 | 8.85 | | | | 03-03 | 01/26/03 |

PDGA Approved Golf Discs

February 25, 2015



| MANUFACTURER / DISTRIBUTOR | DISC MODEL | Max. Weight (g) | Diameter (cm) | Height (cm) | Rim Depth (cm) | Inside Rim Diameter (cm) | Rim Thickness (cm) | Rim Depth/ Diam. Ratio (%) | Rim Config. | Flexibility (kg) | Class S V * | Max Wt (g) Vint | Last Year Prod | Cert. # | Date Approved |
|----------------------------|-----------------|-----------------|---------------|-------------|----------------|--------------------------|--------------------|----------------------------|-------------|------------------|-------------|-----------------|----------------|---------|---------------|
| Innova-Champion Discs | Moray | 179.3 | 21.6 | 1.9 | 1.1 | 19.2 | 1.2 | 5.1 | 41.00 | 8.28 | | | | 96-05 | 10/02/96 |
| Innova-Champion Discs | Nova | 176.8 | 21.3 | 2.7 | 1.5 | 19.1 | 1.1 | 7.0 | 59.00 | 4.65 | | | | 13-56 | 09/03/13 |
| Innova-Champion Discs | ORC | 176.0 | 21.2 | 1.9 | 1.2 | 17.2 | 2.0 | 5.7 | 27.00 | 8.85 | | | | 04-01 | 01/25/04 |
| Innova-Champion Discs | Panther | 176.0 | 21.2 | 1.9 | 1.2 | 18.6 | 1.3 | 5.7 | 34.00 | 12.02 | | | | 93-07 | 07/26/93 |
| Innova-Champion Discs | Pegasus | 175.1 | 21.1 | 1.7 | 1.1 | 17.7 | 1.7 | 5.2 | 31.75 | 9.07 | | | | 97-03 | 03/21/97 |
| Innova-Champion Discs | Phenix | 190.9 | 23.0 | 2.6 | 1.3 | 19.6 | 1.7 | 5.7 | 38.50 | 11.50 | | | | 88-01 | 01/01/88 |
| Innova-Champion Discs | Pig | 176.0 | 21.2 | 2.1 | 1.4 | 18.4 | 1.4 | 6.6 | 57.50 | 9.64 | | | | 08-17 | 05/20/08 |
| Innova-Champion Discs | Piranha | 176.0 | 21.2 | 2.1 | 1.6 | 19.8 | 0.7 | 7.5 | 81.50 | 0.75 | V | 142.0 | | 93-10 | 10/28/93 |
| Innova-Champion Discs | Pole Cat | 176.8 | 21.3 | 2.3 | 1.6 | 19.9 | 0.7 | 7.5 | 83.25 | 4.20 | V | 142.7 | | 94-01 | 01/05/94 |
| Innova-Champion Discs | Pulsar | 200.0 | 27.5 | 3.3 | 2.0 | 26.0 | 0.8 | 7.3 | 93.50 | 9.19 | S V | 184.3 | | 08-19 | 06/02/08 |
| Innova-Champion Discs | Puma | 176.0 | 21.2 | 1.7 | 1.2 | 18.6 | 1.3 | 5.7 | 42.75 | 9.64 | | | | 99-05 | 04/05/99 |
| Innova-Champion Discs | Python | 180.1 | 21.7 | 1.7 | 1.1 | 17.9 | 1.9 | 5.1 | 31.25 | 8.05 | | | | 94-04 | 02/21/94 |
| Innova-Champion Discs | Ram | 180.1 | 21.7 | 1.9 | 1.3 | 18.1 | 1.8 | 6.0 | 27.50 | 7.82 | | | | 94-05 | 04/01/94 |
| Innova-Champion Discs | Raven | 180.1 | 21.7 | 1.9 | 1.2 | 18.5 | 1.6 | 5.5 | 29.25 | 9.69 | | | | 94-09 | 11/10/94 |
| Innova-Champion Discs | Rhyno | 176.0 | 21.2 | 1.9 | 1.3 | 19.2 | 1.0 | 6.1 | 56.75 | 6.24 | | | | 98-12 | 11/09/98 |
| Innova-Champion Discs | Roadrunner | 175.1 | 21.1 | 1.4 | 1.2 | 17.5 | 1.8 | 5.7 | 29.00 | 8.39 | | | | 05-16 | 08/27/05 |
| Innova-Champion Discs | Roc | 180.1 | 21.7 | 2.0 | 1.3 | 19.3 | 1.2 | 6.0 | 43.00 | 8.51 | | | | 87-05 | 01/01/87 |
| Innova-Champion Discs | Scorpion | 186.8 | 22.5 | 2.1 | 1.2 | 19.1 | 1.7 | 5.3 | 29.50 | 11.80 | | | | 90-03 | 09/16/90 |
| Innova-Champion Discs | Shark | 180.1 | 21.7 | 2.1 | 1.3 | 19.3 | 1.2 | 6.0 | 39.50 | 11.32 | | | | 89-06 | 01/01/89 |
| Innova-Champion Discs | Sidewinder | 175.1 | 21.1 | 1.4 | 1.2 | 17.5 | 1.8 | 5.7 | 28.00 | 10.43 | | | | 04-13 | 11/24/04 |
| Innova-Champion Discs | Skeeter | 176.0 | 21.2 | 1.9 | 1.3 | 18.7 | 1.3 | 6.1 | 43.25 | 9.07 | | | | 06-28 | 07/08/06 |
| Innova-Champion Discs | Sonic | 179.3 | 21.6 | 2.3 | 1.6 | 20.4 | 0.6 | 7.4 | 82.00 | 3.97 | V | 144.7 | | 07-43 | 09/19/07 |
| Innova-Champion Discs | Spider | 176.0 | 21.2 | 1.7 | 1.4 | 18.6 | 1.3 | 6.6 | 45.00 | 7.82 | | | | 01-02 | 01/19/01 |
| Innova-Champion Discs | Starfire | 176.0 | 21.2 | 1.4 | 1.1 | 17.2 | 2.0 | 5.2 | 29.00 | 7.71 | | | | 03-09 | 05/08/03 |
| Innova-Champion Discs | Starfire L (SL) | 175.1 | 21.1 | 1.7 | 1.1 | 17.1 | 2.0 | 5.2 | 29.00 | 9.41 | | | | 07-35 | 06/21/07 |
| Innova-Champion Discs | Stingray | 180.1 | 21.7 | 1.8 | 1.1 | 19.3 | 1.2 | 5.1 | 38.25 | 9.10 | | | | 87-07 | 01/01/87 |
| Innova-Champion Discs | Super Nova | 200.0 | 27.5 | 3.3 | 2.2 | 26.3 | 0.6 | 8.0 | 112.50 | 4.31 | S V | 184.3 | | 95-14 | 08/10/95 |
| Innova-Champion Discs | TeeBird L (TL) | 175.1 | 21.1 | 1.6 | 1.2 | 17.5 | 1.8 | 5.7 | 33.00 | 12.25 | | | | 07-17 | 03/08/07 |
| Innova-Champion Discs | TeeDevil | 176.0 | 21.2 | 1.6 | 1.2 | 16.4 | 2.4 | 5.7 | 28.50 | 11.79 | | | | 11-37 | 08/14/11 |
| Innova-Champion Discs | Tee-Rex | 175.1 | 21.1 | 1.7 | 1.2 | 16.8 | 2.2 | 5.7 | 30.00 | 10.21 | | | | 06-11 | 03/06/06 |
| Innova-Champion Discs | Tern | 175.1 | 21.1 | 1.7 | 1.1 | 16.6 | 2.3 | 5.2 | 28.50 | 11.91 | | | | 12-55 | 12/03/12 |
| Innova-Champion Discs | TeeBird | 176.0 | 21.2 | 1.5 | 1.1 | 17.8 | 1.7 | 5.2 | 29.25 | 7.83 | | | | 99-06 | 05/03/99 |
| Innova-Champion Discs | Thunderbird | 176.0 | 21.2 | 1.6 | 1.1 | 17.3 | 1.9 | 5.2 | 31.00 | 6.46 | | | | 14-63 | 08/05/14 |
| Innova-Champion Discs | Valkyrie | 175.1 | 21.1 | 1.4 | 1.2 | 17.3 | 1.9 | 5.7 | 26.00 | 8.05 | | | | 00-09 | 08/28/00 |
| Innova-Champion Discs | Viking | 176.0 | 21.2 | 1.4 | 1.1 | 17.4 | 1.9 | 5.2 | 30.75 | 7.48 | | | | 03-10 | 06/02/03 |
| Innova-Champion Discs | Viper | 180.1 | 21.7 | 2.0 | 1.3 | 18.5 | 1.6 | 6.0 | 29.25 | 8.51 | | | | 91-07 | 12/03/91 |
| Innova-Champion Discs | VRoc | 180.9 | 21.8 | 2.0 | 1.3 | 19.0 | 1.4 | 6.0 | 43.00 | 9.30 | | | | 14-99 | 12/30/14 |
| Innova-Champion Discs | Vulcan | 176.0 | 21.2 | 1.4 | 1.1 | 16.4 | 2.4 | 5.2 | 27.25 | 11.00 | | | | 10-39 | 12/09/10 |
| Innova-Champion Discs | Wahoo | 174.3 | 21.0 | 2.0 | 1.2 | 16.1 | 2.4 | 5.7 | 33.25 | 10.21 | | | | 10-37 | 11/19/10 |
| Innova-Champion Discs | Wedge | 176.0 | 21.2 | 1.7 | 1.2 | 19.2 | 1.0 | 5.7 | 47.25 | 4.99 | | | | 10-41 | 12/09/10 |
| Innova-Champion Discs | Whale | 175.1 | 21.1 | 2.0 | 1.5 | 19.0 | 1.0 | 7.1 | 75.25 | 8.50 | | | | 14-90 | 12/07/14 |
| Innova-Champion Discs | Whippet | 176.0 | 21.2 | 1.9 | 1.3 | 17.8 | 1.7 | 6.1 | 26.00 | 12.25 | | | | 92-02 | 02/07/92 |
| Innova-Champion Discs | Wolf | 180.9 | 21.8 | 1.6 | 1.1 | 19.4 | 1.2 | 5.0 | 30.25 | 6.35 | | | | 99-03 | 02/14/99 |
| Innova-Champion Discs | Wombat | 180.9 | 21.8 | 2.2 | 1.4 | 18.9 | 1.4 | 6.4 | 36.25 | 4.54 | | | | 15-17 | 02/06/15 |
| Innova-Champion Discs | Wraith | 175.1 | 21.1 | 1.4 | 1.2 | 16.9 | 2.1 | 5.7 | 26.75 | 8.85 | | | | 05-15 | 08/15/05 |
| Innova-Champion Discs | XCaliber | 175.1 | 21.1 | 1.6 | 1.2 | 16.4 | 2.3 | 5.7 | 29.50 | 8.85 | | | | 08-09 | 03/13/08 |
| Innova-Champion Discs | Zephyr | 200.0 | 24.1 | 2.7 | 1.7 | 22.7 | 0.7 | 7.1 | 83.00 | 10.00 | S V | 161.5 | | 92-03 | 07/06/92 |
| HOLE19 sarl | All in One | 176.8 | 21.3 | 1.9 | 1.4 | 19.4 | 0.9 | 6.6 | 59.25 | 10.66 | | | | 14-78 | 10/01/14 |
| Kastaplast | Kaxe | 174.3 | 21.0 | 1.9 | 1.3 | 18.0 | 1.5 | 6.2 | 34.00 | 9.30 | | | | 14-48 | 05/19/14 |
| Kastaplast | Kaxe Z | 175.1 | 21.1 | 1.9 | 1.3 | 18.0 | 1.5 | 6.2 | 34.00 | 8.50 | | | | 14-79 | 10/15/14 |

PDGA Approved Golf Discs

February 25, 2015



| MANUFACTURER / DISTRIBUTOR | DISC MODEL | Max. Weight (g) | Diameter (cm) | Height (cm) | Rim Depth (cm) | Inside Rim Diameter (cm) | Rim Thickness (cm) | Rim Depth/ Diam. Ratio (%) | Rim Config. | Flexibility (kg) | Class S V * | Max Wt (g) Vint | Last Year Prod | Cert. # | Date Approved |
|----------------------------|-------------------|-----------------|---------------|-------------|----------------|--------------------------|--------------------|----------------------------|-------------|------------------|-------------|-----------------|----------------|---------|---------------|
| Kastaplast | Rask | 175.1 | 21.1 | 1.6 | 1.1 | 16.7 | 2.2 | 5.2 | 26.50 | 7.71 | | | | 13-50 | 07/18/13 |
| Kastaplast | Rask (retooled) | 176.0 | 21.2 | 1.6 | 1.1 | 16.8 | 2.2 | 5.2 | 26.50 | 9.75 | | | | 14-05 | 01/12/14 |
| Latitude 64 | Ballista | 175.1 | 21.1 | 1.7 | 1.1 | 16.3 | 2.4 | 5.2 | 26.00 | 8.05 | | | | 14-93 | 12/19/14 |
| Latitude 64 | Blitz | 176.0 | 21.2 | 1.6 | 1.2 | 16.8 | 2.2 | 5.7 | 30.50 | 9.19 | | | | 09-18 | 07/21/09 |
| Latitude 64 | Bolt | 175.1 | 21.1 | 1.7 | 1.1 | 16.4 | 2.4 | 5.2 | 27.75 | 10.09 | | | | 11-20 | 05/17/11 |
| Latitude 64 | Claymore | 180.1 | 21.7 | 1.9 | 1.2 | 18.9 | 1.4 | 5.5 | 42.50 | 8.39 | | | | 14-35 | 04/13/14 |
| Latitude 64 | Core | 180.1 | 21.7 | 2.0 | 1.2 | 18.9 | 1.4 | 5.5 | 48.00 | 8.50 | | | | 08-16 | 03/18/08 |
| Latitude 64 | Dagger | 175.1 | 21.1 | 2.1 | 1.5 | 19.1 | 1.0 | 7.1 | 75.25 | 4.65 | | | | 14-36 | 04/13/14 |
| Latitude 64 | Diamond | 175.1 | 21.1 | 1.4 | 1.1 | 17.4 | 1.8 | 5.2 | 30.00 | 6.92 | | | | 11-14 | 03/21/11 |
| Latitude 64 | Flow | 175.1 | 21.1 | 1.8 | 1.2 | 16.8 | 2.2 | 5.7 | 27.75 | 11.11 | | | | 10-35 | 10/27/10 |
| Latitude 64 | Fury | 176.0 | 21.2 | 1.8 | 1.1 | 17.4 | 1.9 | 5.2 | 36.75 | 9.98 | | | | 13-30 | 04/19/13 |
| Latitude 64 | Fuse | 181.8 | 21.9 | 2.1 | 1.3 | 19.3 | 1.3 | 5.9 | 42.50 | 8.28 | | | | 10-04 | 04/04/10 |
| Latitude 64 | Halo | 176.0 | 21.2 | 1.4 | 1.1 | 16.3 | 2.4 | 5.2 | 26.25 | 11.11 | | | | 09-30 | 12/03/09 |
| Latitude 64 | Havoc | 175.1 | 21.1 | 1.7 | 1.1 | 16.6 | 2.3 | 5.2 | 28.00 | 12.02 | | | | 11-02 | 01/10/11 |
| Latitude 64 | Jade | 174.3 | 21.0 | 1.8 | 1.1 | 17.3 | 1.9 | 5.2 | 30.00 | 8.85 | | | | 13-80 | 12/20/13 |
| Latitude 64 | Mace | 180.9 | 21.8 | 2.1 | 1.3 | 19.2 | 1.3 | 6.0 | 38.75 | 8.39 | | | | 13-21 | 03/04/13 |
| Latitude 64 | Medius | 178.5 | 21.5 | 2.4 | 1.2 | 18.8 | 1.4 | 5.6 | 42.50 | 9.64 | | | | 06-06 | 02/12/06 |
| Latitude 64 | Mercy | 176.0 | 21.2 | 2.1 | 1.5 | 19.1 | 1.1 | 7.1 | 61.50 | 7.94 | | | | 12-24 | 05/20/12 |
| Latitude 64 | Missilen | 177.6 | 21.4 | 1.7 | 1.1 | 16.4 | 2.5 | 5.1 | 28.00 | 9.07 | | | | 14-51 | 05/22/14 |
| Latitude 64 | Mirus | 174.3 | 21.0 | 2.4 | 1.1 | 17.0 | 2.0 | 5.2 | 27.25 | 10.89 | | | | 06-23 | 05/01/06 |
| Latitude 64 | Pain | 180.1 | 21.7 | 2.0 | 1.4 | 18.9 | 1.4 | 6.5 | 40.75 | 9.98 | | | | 11-01 | 01/10/11 |
| Latitude 64 | Pearl | 179.3 | 21.6 | 1.8 | 1.2 | 19.2 | 1.2 | 5.6 | 49.25 | 4.20 | | | | 12-32 | 06/27/12 |
| Latitude 64 | Primitus | 174.3 | 21.0 | 2.3 | 1.2 | 17.0 | 2.0 | 5.7 | 27.00 | 11.57 | | | | 06-07 | 02/23/06 |
| Latitude 64 | Pure | 176.0 | 21.2 | 1.8 | 1.4 | 19.2 | 1.0 | 6.6 | 48.25 | 6.69 | | | | 09-13 | 04/13/09 |
| Latitude 64 | Riot | 176.0 | 21.2 | 1.9 | 1.2 | 16.8 | 2.2 | 5.7 | 30.00 | 8.73 | | | | 08-30 | 08/30/08 |
| Latitude 64 | River | 178.5 | 21.5 | 1.9 | 1.2 | 17.8 | 1.8 | 5.6 | 30.50 | 9.07 | | | | 10-16 | 06/02/10 |
| Latitude 64 | Ruby | 178.5 | 21.5 | 1.9 | 1.4 | 19.5 | 1.0 | 6.5 | 69.00 | 3.86 | | | | 12-34 | 07/02/12 |
| Latitude 64 | Saint | 176.0 | 21.2 | 1.9 | 1.2 | 17.4 | 1.9 | 5.7 | 29.25 | 8.85 | | | | 12-25 | 05/20/12 |
| Latitude 64 | Saint Pro | 176.0 | 21.2 | 2.0 | 1.2 | 17.5 | 1.8 | 5.7 | 33.00 | 8.16 | | | | 13-65 | 10/17/13 |
| Latitude 64 | Scythe | 175.1 | 21.1 | 1.5 | 1.1 | 16.6 | 2.2 | 5.2 | 29.00 | 10.66 | | | | 14-23 | 03/24/14 |
| Latitude 64 | Sinus AP | 176.0 | 21.2 | 1.9 | 1.4 | 19.3 | 0.9 | 6.6 | 50.75 | 9.75 | | | | 06-04 | 02/12/06 |
| Latitude 64 | Sinus SP | 176.0 | 21.2 | 1.9 | 1.4 | 19.3 | 0.9 | 6.6 | 50.75 | 4.88 | | | | 06-05 | 02/12/06 |
| Latitude 64 | Spike | 176.0 | 21.2 | 1.8 | 1.3 | 19.2 | 1.0 | 6.1 | 56.25 | 4.65 | | | | 07-21 | 03/25/07 |
| Latitude 64 | Stiletto | 176.8 | 21.3 | 1.7 | 1.1 | 16.4 | 2.4 | 5.2 | 26.75 | 9.98 | | | | 13-33 | 05/30/13 |
| Latitude 64 | Striker | 177.6 | 21.4 | 1.6 | 1.2 | 17.6 | 1.9 | 5.6 | 29.00 | 11.68 | | | | 08-32 | 11/12/08 |
| Latitude 64 | Trident | 177.6 | 21.4 | 1.4 | 1.1 | 17.6 | 1.9 | 5.1 | 36.75 | 11.11 | | | | 08-34 | 11/25/08 |
| Latitude 64 | Villain | 175.1 | 21.1 | 1.7 | 1.2 | 16.8 | 2.1 | 5.7 | 28.00 | 10.41 | | | | 12-18 | 04/01/12 |
| Latitude 64 | Vision | 175.1 | 21.1 | 1.9 | 1.1 | 17.4 | 1.8 | 5.2 | 33.00 | 12.25 | | | | 07-01 | 01/08/07 |
| Latitude 64 | XXX | 178.5 | 21.5 | 1.5 | 1.1 | 17.5 | 2.0 | 5.1 | 32.50 | 12.02 | | | | 08-33 | 11/21/08 |
| Legacy Discs | Bandit | 176.8 | 21.3 | 1.5 | 1.1 | 17.3 | 2.0 | 5.2 | 30.75 | 7.60 | | | | 13-60 | 09/25/13 |
| Legacy Discs | Cannon | 175.1 | 21.1 | 1.8 | 1.2 | 16.1 | 2.5 | 5.7 | 26.00 | 10.43 | | | | 11-39 | 10/25/11 |
| Legacy Discs | Clozer | 176.0 | 21.2 | 2.1 | 1.4 | 19.4 | 0.9 | 6.6 | 58.25 | 8.73 | | | | 12-10 | 02/14/12 |
| Legacy Discs | Clutch | 176.0 | 21.2 | 2.0 | 1.4 | 19.4 | 0.9 | 6.6 | 49.50 | 6.92 | | | | 12-01 | 01/02/12 |
| Legacy Discs | Gauge | 180.9 | 21.8 | 2.2 | 1.4 | 19.4 | 1.2 | 6.4 | 48.25 | 7.03 | | | | 13-61 | 09/25/13 |
| Legacy Discs | Ghost | 180.1 | 21.7 | 2.0 | 1.3 | 19.3 | 1.2 | 6.0 | 42.75 | 5.44 | | | | 12-22 | 05/13/12 |
| Legacy Discs | Hunter | 176.0 | 21.2 | 1.4 | 1.4 | 19.4 | 0.9 | 6.6 | 54.75 | 5.90 | | | | 15-19 | 02/06/15 |
| Legacy Discs | Mongoose | 176.8 | 21.3 | 1.5 | 1.1 | 17.3 | 2.0 | 5.2 | 30.50 | 7.82 | | | | 13-62 | 09/25/13 |
| Legacy Discs | Nemesis | 176.8 | 21.3 | 1.5 | 1.1 | 17.3 | 2.0 | 5.2 | 29.00 | 7.82 | | | | 15-20 | 02/06/15 |
| Legacy Discs | Outlaw | 174.3 | 21.0 | 1.6 | 1.1 | 16.4 | 2.3 | 5.2 | 29.00 | 12.13 | | | | 14-15 | 02/25/14 |
| Legacy Discs | Outlaw (retooled) | 175.1 | 21.1 | 1.6 | 1.1 | 16.4 | 2.3 | 5.2 | 29.00 | 10.43 | | | | 14-73 | 09/17/14 |

PDGA Approved Golf Discs



February 25, 2015

| MANUFACTURER / DISTRIBUTOR | DISC MODEL | Max. Weight (g) | Diameter (cm) | Height (cm) | Rim Depth (cm) | Inside Rim Diameter (cm) | Rim Thickness (cm) | Rim Depth/ Diam. Ratio (%) | Rim Config. | Flexibility (kg) | Class S V * | Max Wt (g) Vint | Last Year Prod | Cert. # | Date Approved |
|----------------------------|--------------------------|-----------------|---------------|-------------|----------------|--------------------------|--------------------|----------------------------|-------------|------------------|-------------|-----------------|----------------|---------|---------------|
| Legacy Discs | Patriot | 176.0 | 21.2 | 1.8 | 1.1 | 17.6 | 1.8 | 5.2 | 28.25 | 12.02 | | | | 12-53 | 11/28/12 |
| Legacy Discs | Prowler | 176.0 | 21.2 | 2.2 | 1.4 | 19.4 | 0.9 | 6.6 | 61.50 | 6.01 | | | | 15-28 | 02/25/15 |
| Legacy Discs | Rampage | 175.1 | 21.1 | 1.8 | 1.2 | 16.1 | 2.5 | 5.7 | 26.00 | 10.55 | | | | 11-32 | 07/14/11 |
| Legacy Discs | Rival | 176.8 | 21.3 | 2.0 | 1.2 | 17.8 | 1.8 | 5.6 | 29.25 | 11.11 | | | | 11-54 | 11/02/12 |
| Lightning Discs | #1 Flyer | 177.6 | 21.4 | 1.5 | 1.1 | 18.2 | 1.6 | 5.1 | 27.75 | 9.75 | | | | 95-15 | 02/02/95 |
| Lightning Discs | #1 Helix | 178.5 | 21.5 | 1.6 | 1.3 | 18.3 | 1.6 | 6.0 | 31.25 | 10.87 | | | | 96-02 | 03/03/96 |
| Lightning Discs | #1 Hookshot | 184.3 | 22.2 | 1.7 | 1.5 | 19.2 | 1.5 | 6.8 | 32.50 | 7.70 | | | | 93-11 | 03/21/95 |
| Lightning Discs | #1 Hyzer | 180.1 | 21.7 | 1.8 | 1.3 | 18.1 | 1.8 | 6.0 | 29.25 | 10.66 | | | | 95-03 | 07/06/95 |
| Lightning Discs | #1 Roller | 180.1 | 21.7 | 1.7 | 1.1 | 18.1 | 1.8 | 5.1 | 30.75 | 8.62 | | | | 95-10 | 04/07/95 |
| Lightning Discs | #1 Slice | 187.6 | 22.6 | 1.8 | 1.2 | 19.8 | 1.4 | 5.3 | 27.75 | 6.69 | | | | 95-18 | 03/21/95 |
| Lightning Discs | #2 Driver | 177.6 | 21.4 | 2.0 | 1.2 | 18.2 | 1.6 | 5.6 | 29.00 | 12.02 | | | | | |
| Lightning Discs | #2 Helix | 176.0 | 21.2 | 1.7 | 1.4 | 17.8 | 1.7 | 6.6 | 34.00 | 7.48 | | | | 01-09 | 09/13/01 |
| Lightning Discs | #2 Hookshot | 178.5 | 21.5 | 2.1 | 1.1 | 18.9 | 1.3 | 5.1 | 40.00 | 6.40 | | | | | |
| Lightning Discs | #2 Hyzer | 175.1 | 21.1 | 2.0 | 1.2 | 17.9 | 1.6 | 5.7 | 29.00 | 11.57 | | | | 95-16 | 06/14/95 |
| Lightning Discs | #2 Putter | 180.9 | 21.8 | 2.6 | 1.6 | 19.8 | 1.0 | 7.3 | 53.75 | 4.20 | | | | 00-14 | 11/10/00 |
| Lightning Discs | #2 Roller | 195.9 | 23.6 | 2.1 | 1.4 | 19.2 | 1.7 | 5.9 | 30.25 | 12.25 | | | | | |
| Lightning Discs | #2 Slice | 179.3 | 21.6 | 2.0 | 1.1 | 19.0 | 1.3 | 5.1 | 27.25 | 6.69 | | | | | |
| Lightning Discs | #2 Upshot | 177.6 | 21.4 | 2.0 | 1.5 | 19.6 | 0.9 | 7.0 | 51.25 | 6.01 | | | | 00-07 | 03/28/00 |
| Lightning Discs | #3 Driver | 186.8 | 22.5 | 2.0 | 1.2 | 19.3 | 1.6 | 5.3 | 29.75 | 8.05 | | | | 97-02 | 03/15/97 |
| Lightning Discs | #3 Flyer | 185.1 | 22.3 | 2.0 | 1.2 | 19.2 | 1.5 | 5.4 | 36.25 | 9.10 | | | | | |
| Lightning Discs | #3 Hookshot | 181.8 | 21.9 | 2.1 | 1.2 | 19.2 | 1.3 | 5.5 | 27.50 | 8.62 | | | | | |
| Lightning Discs | #4 Driver | 176.0 | 21.2 | 1.7 | 1.1 | 17.9 | 1.7 | 5.2 | 26.75 | 8.05 | | | | 00-08 | 03/28/00 |
| Lightning Discs | AT-6 Texan | 179.3 | 21.6 | 2.5 | 1.3 | 19.0 | 1.3 | 6.0 | 45.50 | 7.70 | | | | 88-06 | 01/01/88 |
| Lightning Discs | B-17 Flying Fortress | 195.9 | 23.6 | 2.1 | 1.4 | 19.2 | 1.7 | 5.9 | 30.25 | 12.25 | | | | 88-07 | 01/01/88 |
| Lightning Discs | B-2 Stealth | 185.9 | 22.4 | 1.8 | 1.2 | 19.4 | 1.5 | 5.4 | 30.75 | 8.20 | | | | 91-05 | 10/11/91 |
| Lightning Discs | B-25 Mitchell | 177.6 | 21.4 | 1.5 | 1.1 | 18.2 | 1.6 | 5.1 | 28.75 | 6.35 | | | | 94-06 | 06/01/94 |
| Lightning Discs | B-25 Mitchell (retooled) | 177.6 | 21.4 | 1.5 | 1.1 | 18.2 | 1.6 | 5.1 | 28.75 | 6.35 | | | | 95-02 | 02/10/95 |
| Lightning Discs | Dauntless | 184.3 | 22.2 | 1.7 | 1.5 | 19.2 | 1.5 | 6.8 | 32.50 | 7.70 | | | | 92-04 | 07/23/92 |
| Lightning Discs | F-14 Tomcat | 180.1 | 21.7 | 1.9 | 1.1 | 18.9 | 1.4 | 5.1 | 34.00 | 11.80 | | | | 90-01 | 05/16/90 |
| Lightning Discs | F-15 Eagle | 177.6 | 21.4 | 2.0 | 1.2 | 18.2 | 1.6 | 5.6 | 29.00 | 12.02 | | | | 87-08 | 01/01/87 |
| Lightning Discs | F-18 Hornet | 183.4 | 22.1 | 2.0 | 1.2 | 18.9 | 1.6 | 5.4 | 31.00 | 8.20 | | | | 91-02 | 04/19/91 |
| Lightning Discs | F-4-U Corsair | 180.9 | 21.8 | 1.9 | 1.1 | 19.0 | 1.4 | 5.0 | 34.25 | 8.20 | | | | 89-02 | 01/01/89 |
| Lightning Discs | F-6 Hellcat | 187.6 | 22.6 | 1.8 | 1.2 | 19.8 | 1.4 | 5.3 | 27.75 | 6.69 | | | | 93-01 | 01/24/93 |
| Lightning Discs | F-8-F Bearcat | 179.3 | 21.6 | 2.0 | 1.1 | 19.0 | 1.3 | 5.1 | 27.25 | 6.69 | | | | 88-05 | 01/01/88 |
| Lightning Discs | Falcon | 179.3 | 21.6 | | | | | | | | | | | 87-10 | 01/01/87 |
| Lightning Discs | Maxline -- 1 | 176.8 | 21.3 | 1.7 | 1.1 | 17.1 | 2.1 | 5.2 | 33.25 | 7.03 | | | | 09-08 | 02/27/09 |
| Lightning Discs | P-38 Lightning | 178.5 | 21.5 | 2.1 | 1.1 | 18.9 | 1.3 | 5.1 | 40.00 | 6.40 | | | | 84-09 | 01/01/84 |
| Lightning Discs | P-38J Lightning | 180.9 | 21.8 | 1.4 | 1.1 | 19.2 | 1.3 | 5.0 | 26.00 | 9.98 | | | | 93-03 | 05/14/93 |
| Lightning Discs | P-40 Flying Tiger | 180.9 | 21.8 | 2.8 | 1.3 | 19.2 | 1.3 | 6.0 | 35.75 | 8.20 | | | | 88-03 | 01/01/88 |
| Lightning Discs | P-51 Mustang | 180.9 | 21.8 | 2.2 | 1.2 | 19.3 | 1.3 | 5.5 | 35.75 | 8.20 | | | | 88-04 | 01/01/88 |
| Lightning Discs | Rubber Putter | 179.3 | 21.6 | 2.5 | 1.3 | 19.0 | 1.3 | 6.0 | 45.50 | 7.70 | | | | 94-13 | 01/01/94 |
| Lightning Discs | Spitfire | 185.1 | 22.3 | 2.0 | 1.2 | 19.2 | 1.5 | 5.4 | 36.25 | 9.10 | | | | 90-10 | 01/01/90 |
| Lightning Discs | SR-71 Blackbird | 181.8 | 21.9 | 2.1 | 1.2 | 19.2 | 1.3 | 5.5 | 27.50 | 8.62 | | | | 88-08 | 01/01/88 |
| Lightning Discs | The Driver | 177.6 | 21.4 | 1.5 | 1.1 | 18.2 | 1.6 | 5.1 | 28.75 | 6.35 | | | | | |
| Lightning Discs | Thunderbolt | 177.6 | 21.4 | 2.3 | 1.2 | 19.4 | 1.0 | 5.6 | 41.75 | 2.72 | | | | 86-03 | 01/01/86 |
| Lightning Discs | Upshot | 179.3 | 21.6 | 2.2 | 1.4 | 20.2 | 0.7 | 6.5 | 63.75 | 2.04 | | | | 93-02 | 02/13/93 |
| Lightning Discs | X-15 | 177.6 | 21.4 | 1.8 | 1.1 | 18.8 | 1.3 | 5.1 | 34.00 | 11.40 | | | | 87-09 | 01/01/87 |
| Millennium Golf Discs | Aries | 175.1 | 21.1 | 1.6 | 1.1 | 16.9 | 2.1 | 5.2 | 28.00 | 10.89 | | | | 14-01 | 01/06/14 |
| Millennium Golf Discs | Astra | 175.1 | 21.1 | 1.5 | 1.2 | 16.7 | 2.2 | 5.7 | 28.25 | 8.28 | | | | 11-24 | 06/17/11 |
| Millennium Golf Discs | Aurora MF | 180.1 | 21.7 | 2.1 | 1.4 | 19.4 | 1.2 | 6.5 | 38.75 | 8.16 | | | | 96-01 | 02/14/96 |

PDGA Approved Golf Discs

February 25, 2015



| MANUFACTURER / DISTRIBUTOR | DISC MODEL | Max. Weight (g) | Diameter (cm) | Height (cm) | Rim Depth (cm) | Inside Rim Diameter (cm) | Rim Thickness (cm) | Rim Depth/ Diam. Ratio (%) | Rim Config. | Flexibility (kg) | Class S V * | Max Wt (g) Vint | Last Year Prod | Cert. # | Date Approved |
|----------------------------|---------------------------------|-----------------|---------------|-------------|----------------|--------------------------|--------------------|----------------------------|-------------|------------------|-------------|-----------------|----------------|---------|---------------|
| Millennium Golf Discs | EXP | 175.1 | 21.1 | 1.6 | 1.2 | 17.5 | 1.8 | 5.7 | 28.25 | 9.87 | | | | 98-08 | 07/28/98 |
| Millennium Golf Discs | JLS | 174.3 | 21.0 | 1.5 | 1.1 | 17.8 | 1.6 | 5.2 | 30.75 | 8.73 | | | | 99-08 | 06/16/99 |
| Millennium Golf Discs | Midrange MS/Aurora | 180.9 | 21.8 | 1.8 | 1.2 | 19.4 | 1.2 | 5.5 | 36.75 | 7.71 | | | | 95-08 | 07/27/95 |
| Millennium Golf Discs | Mortar | 176.0 | 21.2 | 1.9 | 1.4 | 18.4 | 1.4 | 6.6 | 56.75 | 5.78 | | | | 13-55 | 09/03/13 |
| Millennium Golf Discs | Omega | 175.1 | 21.1 | 2.0 | 1.5 | 19.3 | 0.9 | 7.1 | 55.75 | 1.36 | | | | 95-09 | 07/27/95 |
| Millennium Golf Discs | Omega SuperSoft Putter Big Bead | 176.0 | 21.2 | 2.1 | 1.5 | 19.4 | 0.9 | 7.1 | 55.75 | 3.52 | | | | 13-41 | 06/22/13 |
| Millennium Golf Discs | Orion LF | 175.1 | 21.1 | 1.5 | 1.2 | 17.4 | 1.9 | 5.7 | 27.25 | 10.32 | | | | 06-03 | 02/10/06 |
| Millennium Golf Discs | Orion LS | 175.1 | 21.1 | 1.4 | 1.2 | 17.3 | 1.9 | 5.7 | 32.25 | 12.02 | | | | 05-05 | 03/31/05 |
| Millennium Golf Discs | Polaris LF | 175.1 | 21.1 | 1.9 | 1.1 | 17.9 | 1.6 | 5.2 | 28.50 | 10.55 | | | | 96-06 | 10/12/96 |
| Millennium Golf Discs | Polaris LS | 175.1 | 21.1 | 1.9 | 1.1 | 17.9 | 1.6 | 5.2 | 35.00 | 10.66 | | | | 96-07 | 10/12/96 |
| Millennium Golf Discs | Quasar | 176.0 | 21.2 | 1.6 | 1.2 | 16.2 | 2.5 | 5.7 | 27.25 | 12.13 | | | | 11-31 | 07/14/11 |
| Millennium Golf Discs | QJLS | 176.0 | 21.2 | 1.8 | 1.1 | 18.0 | 1.6 | 5.2 | 30.75 | 9.19 | | | | 02-04 | 05/30/02 |
| Millennium Golf Discs | QMS | 180.9 | 21.8 | 2.0 | 1.4 | 19.4 | 1.2 | 6.4 | 36.75 | 10.66 | | | | 02-05 | 05/30/02 |
| Millennium Golf Discs | Scorpius | 175.1 | 21.1 | 1.7 | 1.2 | 16.3 | 2.4 | 5.7 | 26.25 | 9.41 | | | | 12-23 | 05/20/12 |
| Millennium Golf Discs | Sentinel MF | 180.1 | 21.7 | 2.1 | 1.2 | 19.1 | 1.3 | 5.5 | 27.50 | 6.24 | | | | 98-02 | 02/03/98 |
| Millennium Golf Discs | Tachyon LF | 180.1 | 21.7 | 2.0 | 1.3 | 18.5 | 1.6 | 6.0 | 29.25 | 8.85 | | | | 95-06 | 05/24/95 |
| Millennium Golf Discs | Tachyon LS | 180.1 | 21.7 | 1.9 | 1.2 | 18.5 | 1.6 | 5.5 | 29.25 | 8.85 | | | | 95-07 | 07/27/95 |
| Millennium Golf Discs | Tank - Panzer | 176.0 | 21.2 | 2.1 | 1.4 | 18.8 | 1.2 | 6.6 | 59.75 | 5.56 | | | | 13-54 | 08/29/13 |
| Millennium Golf Discs | Veteran | 175.1 | 21.1 | 1.8 | 1.2 | 17.5 | 1.8 | 5.7 | 29.00 | 8.73 | | | | 14-64 | 08/05/14 |
| MVP Disc Sports | Amp | 174.3 | 21.0 | 1.7 | 1.1 | 17.2 | 1.9 | 5.2 | 26.00 | 11.00 | | | | 12-51 | 11/14/12 |
| MVP Disc Sports | Anode | 174.3 | 21.0 | 2.1 | 1.4 | 18.9 | 1.1 | 6.7 | 54.00 | 6.80 | | | | 12-05 | 01/15/12 |
| MVP Disc Sports | Atom | 175.1 | 21.1 | 1.9 | 1.4 | 18.8 | 1.1 | 6.6 | 60.75 | 7.82 | | | | 14-89 | 12/07/14 |
| MVP Disc Sports | Axis | 180.9 | 21.8 | 2.1 | 1.3 | 19.2 | 1.3 | 6.0 | 43.75 | 7.37 | | | | 11-34 | 07/15/11 |
| MVP Disc Sports | Impulse | 174.3 | 21.0 | 1.4 | 1.2 | 17.0 | 2.0 | 5.7 | 28.75 | 10.89 | | | | 14-12 | 02/22/14 |
| MVP Disc Sports | Inertia | 175.1 | 21.1 | 1.4 | 1.2 | 17.1 | 2.0 | 5.7 | 27.25 | 11.91 | | | | 14-07 | 02/10/14 |
| MVP Disc Sports | Ion | 174.3 | 21.0 | 1.9 | 1.6 | 18.8 | 1.1 | 7.6 | 62.50 | 2.83 | | | | 09-21 | 09/14/09 |
| MVP Disc Sports | Motion | 174.3 | 21.0 | 1.4 | 1.2 | 17.0 | 2.0 | 5.7 | 30.25 | 12.02 | | | | 14-13 | 02/22/14 |
| MVP Disc Sports | Orbital | 175.1 | 21.1 | 1.4 | 1.1 | 16.7 | 2.2 | 5.2 | 28.50 | 10.77 | | | | 15-1 | 02/06/15 |
| MVP Disc Sports | Phase | 175.1 | 21.1 | 1.4 | 1.1 | 16.7 | 2.2 | 5.2 | 29.50 | 11.25 | | | | 15-2 | 02/06/15 |
| MVP Disc Sports | Photon | 175.1 | 21.1 | 1.4 | 1.1 | 16.6 | 2.2 | 5.2 | 26.75 | 11.57 | | | | 15-3 | 02/06/15 |
| MVP Disc Sports | Resistor | 175.1 | 21.1 | 1.5 | 1.2 | 17.5 | 1.7 | 5.7 | 31.75 | 10.21 | | | | 13-59 | 09/23/13 |
| MVP Disc Sports | Servo | 175.1 | 21.1 | 1.4 | 1.2 | 17.5 | 1.8 | 5.7 | 32.00 | 11.45 | | | | 13-73 | 12/01/13 |
| MVP Disc Sports | Shock | 175.1 | 21.1 | 1.6 | 1.1 | 17.2 | 1.9 | 5.2 | 29.75 | 12.13 | | | | 13-05 | 01/15/13 |
| MVP Disc Sports | Switch | 175.1 | 21.1 | 1.4 | 1.2 | 17.5 | 1.8 | 5.7 | 31.00 | 10.66 | | | | 14-08 | 02/10/14 |
| MVP Disc Sports | Tangent | 178.5 | 21.5 | 2.1 | 1.3 | 19.1 | 1.2 | 6.0 | 54.50 | 7.94 | | | | 13-15 | 02/22/13 |
| MVP Disc Sports | Tensor | 178.5 | 21.5 | 2.0 | 1.3 | 19.1 | 1.2 | 6.0 | 46.75 | 7.82 | | | | 13-29 | 04/19/13 |
| MVP Disc Sports | Tesla | 174.3 | 21.0 | 1.4 | 1.2 | 17.0 | 2.0 | 5.7 | 26.50 | 11.68 | | | | 14-14 | 02/22/14 |
| MVP Disc Sports | Vector | 180.1 | 21.7 | 2.1 | 1.3 | 19.1 | 1.3 | 6.0 | 36.50 | 4.99 | | | | 10-42 | 12/18/10 |
| MVP Disc Sports | Volt | 175.1 | 21.1 | 1.6 | 1.1 | 17.1 | 2.0 | 5.2 | 28.25 | 10.09 | | | | 12-33 | 07/02/12 |
| MVP Disc Sports | Wave | 175.1 | 21.1 | 1.4 | 1.1 | 16.6 | 2.2 | 5.2 | 29.25 | 11.00 | | | | 15-4 | 02/06/15 |
| Obsidian Discs Oy | Splinter | 176.8 | 21.3 | 2.4 | 1.5 | 19.2 | 1.0 | 7.0 | 71.25 | 7.82 | | | | 14-72 | 09/17/14 |
| Pacific Cycle | Mercury Putter | 176.8 | 21.3 | 2.0 | 1.6 | 19.7 | 0.8 | 7.5 | 60.00 | 8.96 | | | | 06-10 | 03/06/06 |
| Pacific Cycle | Pluto Driver | 174.3 | 21.0 | 1.7 | 1.1 | 18.2 | 1.4 | 5.2 | 29.00 | 8.62 | | | | 06-08 | 03/06/06 |
| Pacific Cycle | Saturn Mid Range | 174.3 | 21.0 | 1.7 | 1.1 | 18.2 | 1.4 | 5.2 | 31.25 | 8.96 | | | | 06-09 | 03/06/06 |
| Paradigm Disc Golf | Bird-Dog | 174.3 | 21.0 | 2.4 | 1.5 | 19.0 | 1.0 | 7.1 | 64.00 | 7.94 | | | | 14-59 | 07/19/14 |
| Paradigm Disc Golf | Terrapin | 180.1 | 21.7 | 1.9 | 1.3 | 19.3 | 1.2 | 6.0 | 44.00 | 2.95 | | | | 14-60 | 07/19/14 |
| Paradigm Disc Golf | Tiger | 175.1 | 21.1 | 1.7 | 1.1 | 17.5 | 1.8 | 5.2 | 31.25 | 7.60 | | | | 14-06 | 01/19/14 |
| Plastic Paradise | Maximizer | 180.9 | 21.8 | 1.8 | 1.6 | 18.4 | 1.7 | 7.3 | 28.75 | 6.46 | | | | 02-02 | 01/31/02 |
| Plastic Paradise | Optimizer | 182.6 | 22.0 | 1.7 | 1.7 | 20.2 | 0.9 | 7.7 | 68.00 | 2.72 | | | | 01-07 | 08/21/01 |
| Prodigy Disc | D1 | 174.3 | 21.0 | 1.9 | 1.2 | 16.3 | 2.3 | 5.7 | 26.75 | 11.57 | | | | 13-01 | 01/01/13 |

PDGA Approved Golf Discs

February 25, 2015



| MANUFACTURER / DISTRIBUTOR | DISC MODEL | Max. Weight (g) | Diameter (cm) | Height (cm) | Rim Depth (cm) | Inside Rim Diameter (cm) | Rim Thickness (cm) | Rim Depth/ Diam. Ratio (%) | Rim Config. | Flexibility (kg) | Class S V * | Max Wt (g) Vint | Last Year Prod | Cert. # | Date Approved |
|----------------------------|---------------------------|-----------------|---------------|-------------|----------------|--------------------------|--------------------|----------------------------|-------------|------------------|-------------|-----------------|----------------|---------|---------------|
| Prodigy Disc | D2 | 174.3 | 21.0 | 1.9 | 1.2 | 16.3 | 2.3 | 5.7 | 30.50 | 11.34 | | | | 13-02 | 01/01/13 |
| Prodigy Disc | D3 | 174.3 | 21.0 | 1.7 | 1.2 | 16.3 | 2.3 | 5.7 | 30.25 | 12.02 | | | | 13-03 | 01/01/13 |
| Prodigy Disc | D4 | 174.3 | 21.0 | 1.9 | 1.2 | 16.3 | 2.3 | 5.7 | 30.00 | 12.13 | | | | 13-04 | 01/01/13 |
| Prodigy Disc | D5 | 175.1 | 21.1 | 1.6 | 1.2 | 16.3 | 2.4 | 5.7 | 29.75 | 5.67 | | | | 13-53 | 08/29/13 |
| Prodigy Disc | D5 (retooled) | 176.0 | 21.2 | 1.7 | 1.2 | 16.4 | 2.4 | 5.7 | 29.75 | 10.77 | | | | 13-63 | 10/14/13 |
| Prodigy Disc | F1 | 176.8 | 21.3 | 1.5 | 1.1 | 17.7 | 1.8 | 5.2 | 27.25 | 6.80 | | | | 13-45 | 07/06/13 |
| Prodigy Disc | F2 | 176.8 | 21.3 | 1.5 | 1.1 | 17.7 | 1.8 | 5.2 | 32.75 | 6.69 | | | | 13-46 | 07/06/13 |
| Prodigy Disc | F3 | 176.8 | 21.3 | 1.5 | 1.1 | 17.7 | 1.8 | 5.2 | 31.50 | 7.37 | | | | 13-47 | 07/06/13 |
| Prodigy Disc | F5 | 176.8 | 21.3 | 1.9 | 1.2 | 17.7 | 1.8 | 5.6 | 35.75 | 8.50 | | | | 13-71 | 11/01/13 |
| Prodigy Disc | F7 | 176.8 | 21.3 | 1.5 | 1.1 | 17.8 | 1.8 | 5.2 | 37.00 | 7.48 | | | | 13-48 | 07/06/13 |
| Prodigy Disc | H1 | 176.8 | 21.3 | 1.8 | 1.2 | 17.4 | 1.9 | 5.6 | 31.75 | 8.28 | | | | 14-67 | 08/26/14 |
| Prodigy Disc | H2 | 176.8 | 21.3 | 1.7 | 1.2 | 17.5 | 1.9 | 5.6 | 30.75 | 8.05 | | | | 14-76 | 09/26/14 |
| Prodigy Disc | H3 | 176.8 | 21.3 | 1.7 | 1.2 | 17.3 | 2.0 | 5.6 | 34.50 | 9.30 | | | | 15-29 | 02/25/15 |
| Prodigy Disc | H4 | 176.8 | 21.3 | 1.8 | 1.2 | 17.4 | 1.9 | 5.6 | 41.75 | 8.73 | | | | 14-77 | 09/26/14 |
| Prodigy Disc | M1 | 180.1 | 21.7 | 2.0 | 1.3 | 18.9 | 1.4 | 6.0 | 39.25 | 8.39 | | | | 13-11 | 03/05/13 |
| Prodigy Disc | M2 (originally the M3) | 180.1 | 21.7 | 2.0 | 1.3 | 18.9 | 1.4 | 6.0 | 41.00 | 8.28 | | | | 13-13 | 03/05/13 |
| Prodigy Disc | M3 (originally the M2) | 180.1 | 21.7 | 1.9 | 1.3 | 18.9 | 1.4 | 6.0 | 43.25 | 8.39 | | | | 13-12 | 03/05/13 |
| Prodigy Disc | M4 | 180.1 | 21.7 | 2.0 | 1.3 | 18.9 | 1.4 | 6.0 | 52.00 | 8.85 | | | | 13-14 | 03/05/13 |
| Prodigy Disc | M5 | 180.1 | 21.7 | 2.2 | 1.3 | 19.0 | 1.3 | 6.0 | 46.50 | 8.85 | | | | 14-02 | 01/06/14 |
| Prodigy Disc | PA1 | 174.3 | 21.0 | 1.9 | 1.4 | 19.0 | 1.0 | 6.7 | 57.50 | 6.01 | | | | 13-17 | 03/05/13 |
| Prodigy Disc | PA2 | 175.1 | 21.1 | 1.9 | 1.4 | 19.1 | 1.0 | 6.6 | 47.50 | 11.91 | | | | 13-18 | 03/05/13 |
| Prodigy Disc | PA3 | 174.3 | 21.0 | 2.0 | 1.4 | 18.9 | 1.0 | 6.7 | 66.00 | 9.41 | | | | 14-30 | 03/25/14 |
| Prodigy Disc | PA4 | 174.3 | 21.0 | 1.9 | 1.4 | 19.0 | 1.0 | 6.7 | 69.25 | 6.46 | | | | 13-19 | 03/05/13 |
| Prodigy Disc | X1 | 174.3 | 21.0 | 1.5 | 1.2 | 16.3 | 2.3 | 5.7 | 27.50 | 11.79 | | | | 14-37 | 05/04/14 |
| Prodiscus | Jokeri | 176.0 | 21.2 | 1.8 | 1.5 | 19.0 | 1.1 | 7.1 | 54.00 | 6.92 | | | | 10-34 | 10/27/10 |
| Prodiscus | Lasari | 175.1 | 21.1 | 1.6 | 1.1 | 17.2 | 1.9 | 5.2 | 32.25 | 6.24 | | | | 13-20 | 03/04/13 |
| Prodiscus | Legenda | 174.3 | 21.0 | 1.5 | 1.1 | 16.3 | 2.4 | 5.2 | 26.75 | 5.44 | | | | 11-38 | 10/25/11 |
| Prodiscus | Midari | 179.3 | 21.6 | 1.8 | 1.5 | 18.8 | 1.4 | 6.9 | 37.50 | 4.88 | | | | 11-33 | 07/15/11 |
| Prodiscus | Razeri | 175.1 | 21.1 | 1.5 | 1.1 | 16.4 | 2.3 | 5.2 | 27.25 | 9.41 | | | | 15-27 | 02/06/15 |
| Prodiscus | Respecti | 174.3 | 21.0 | 1.8 | 1.3 | 17.2 | 1.9 | 6.2 | 33.25 | 7.03 | | | | 11-10 | 03/09/11 |
| Prodiscus | Slaidi | 175.1 | 21.1 | 2.0 | 1.2 | 16.8 | 2.2 | 5.7 | 30.50 | 7.71 | | | | 12-25 | 09/12/12 |
| Prodiscus | Sparta | 176.8 | 21.3 | 2.0 | 1.6 | 19.2 | 1.0 | 7.5 | 59.75 | 5.78 | | | | 14-82 | 10/21/14 |
| Prodiscus | Titan | 176.0 | 21.2 | 1.6 | 1.2 | 17.3 | 1.9 | 5.7 | 32.75 | 9.53 | | | | 14-88 | 11/13/14 |
| Quest Applied Technologies | 10 Meter Brick | 177.6 | 21.4 | 1.8 | 1.3 | 19.0 | 0.3 | 6.1 | 30.00 | 2.49 | | | | 06-44 | 10/13/06 |
| Quest Applied Technologies | 10 Meter Crossfire | 176.0 | 21.2 | 2.1 | 1.4 | 18.9 | 1.2 | 6.6 | 51.75 | 10.21 | | | | 06-52 | 12/18/06 |
| Quest Applied Technologies | 100 Meter Lazer | 176.0 | 21.2 | 1.4 | 1.1 | 17.0 | 2.1 | 5.2 | 26.50 | 3.40 | | | | 07-25 | 05/03/07 |
| Quest Applied Technologies | Backbone | 176.0 | 21.2 | 1.9 | 1.1 | 18.6 | 2.3 | 5.2 | 54.25 | 12.25 | | | | 06-53 | 12/19/06 |
| Quest Applied Technologies | Crossfire | 176.0 | 21.2 | 2.0 | 1.4 | 18.9 | 1.2 | 6.6 | 51.75 | 6.24 | | | | 06-51 | 12/18/06 |
| Quest Applied Technologies | Double D | 175.1 | 21.1 | 1.9 | 1.1 | 15.9 | 2.6 | 5.2 | 28.75 | 8.39 | | | | 07-45 | 10/22/07 |
| Quest Applied Technologies | Inferno | 176.0 | 21.2 | 1.9 | 1.3 | 17.1 | 2.1 | 6.1 | 26.50 | 11.68 | | | | 06-38 | 08/28/06 |
| Quest Applied Technologies | Low Speed Driver | 194.2 | 23.4 | 1.6 | 1.4 | 18.6 | 2.4 | 6.0 | 34.00 | 8.73 | | | | 06-27 | 06/21/06 |
| Quest Applied Technologies | Nighthawk | 178.5 | 21.5 | 2.1 | 1.4 | 18.3 | 1.6 | 6.5 | 33.75 | 5.56 | | | | 06-15 | 04/03/06 |
| Quest Applied Technologies | Odyssey Approach & Putter | 178.5 | 21.5 | 2.3 | 1.2 | 18.1 | 1.7 | 5.6 | 34.75 | 4.88 | | | | 06-22 | 04/12/06 |
| Quest Applied Technologies | Odyssey Driver | 176.8 | 21.3 | 2.5 | 1.5 | 16.8 | 2.3 | 7.0 | 27.00 | 6.01 | | | | 06-17 | 04/12/06 |
| Quest Applied Technologies | Odyssey Midrange | 178.5 | 21.5 | 2.5 | 1.5 | 18.6 | 1.5 | 7.0 | 39.00 | 9.75 | | | | 06-14 | 04/03/06 |
| Quest Applied Technologies | Odyssey Power Driver | 177.6 | 21.4 | 2.1 | 1.5 | 17.1 | 2.2 | 7.0 | 27.25 | 8.28 | | | | 06-32 | 08/15/06 |
| Quest Applied Technologies | Odyssey Putter | 176.8 | 21.3 | 2.6 | 1.5 | 19.0 | 1.1 | 7.0 | 54.00 | 6.12 | | | | 06-19 | 04/12/06 |
| Quest Applied Technologies | Odyssey True Line Putter | 177.6 | 21.4 | 2.3 | 1.5 | 19.2 | 1.1 | 7.0 | 54.00 | 7.03 | | | | 06-30 | 08/01/06 |
| Quest Applied Technologies | Raging Inferno DT | 175.1 | 21.1 | 1.9 | 1.1 | 16.8 | 2.1 | 5.2 | 27.75 | 11.34 | | | | 06-49 | 11/20/06 |
| Quest Applied Technologies | Raging Inferno | 176.0 | 21.2 | 1.9 | 1.1 | 16.9 | 2.1 | 5.2 | 27.50 | 11.57 | | | | 06-48 | 11/20/06 |

PDGA Approved Golf Discs

February 25, 2015



| MANUFACTURER / DISTRIBUTOR | DISC MODEL | Max. Weight (g) | Diameter (cm) | Height (cm) | Rim Depth (cm) | Inside Rim Diameter (cm) | Rim Thickness (cm) | Rim Depth/ Diam. Ratio (%) | Rim Config. | Flexibility (kg) | Class S V * | Max Wt (g) Vint | Last Year Prod | Cert. # | Date Approved |
|----------------------------|---|-----------------|---------------|-------------|----------------|--------------------------|--------------------|----------------------------|-------------|------------------|-------------|-----------------|----------------|---------|---------------|
| Quest Applied Technologies | Rock-It | 176.8 | 21.3 | 1.8 | 1.3 | 18.8 | 1.3 | 6.1 | 54.75 | 4.08 | | | | 07-29 | 06/12/07 |
| Quest Applied Technologies | Scorcher | 176.0 | 21.2 | 1.9 | 1.2 | 16.8 | 2.2 | 5.7 | 30.25 | 12.02 | | | | 06-43 | 10/13/06 |
| Quest Applied Technologies | Scream | 176.0 | 21.2 | 2.2 | 1.4 | 16.7 | 2.2 | 6.6 | 26.25 | 12.25 | | | | 06-13 | 04/03/06 |
| Quest Applied Technologies | Scream DT | 175.1 | 21.1 | 2.6 | 1.3 | 16.8 | 2.1 | 6.2 | 26.00 | 9.64 | | | | 06-18 | 04/12/06 |
| Quest Applied Technologies | Scream DT Max | 176.8 | 21.3 | 1.7 | 1.3 | 16.8 | 2.3 | 6.1 | 31.25 | 7.03 | | | | 06-20 | 04/12/06 |
| Quest Applied Technologies | Scream DT Ultra | 177.6 | 21.4 | 1.6 | 1.3 | 17.0 | 2.2 | 6.1 | 29.00 | 5.90 | | | | 06-21 | 04/12/06 |
| Quest Applied Technologies | Scream DT Ultra 2 | 176.8 | 21.3 | 1.6 | 1.3 | 16.9 | 2.2 | 6.1 | 26.00 | 6.24 | | | | 06-39 | 08/28/06 |
| Quest Applied Technologies | Scream II | 176.8 | 21.3 | 2.2 | 1.4 | 16.9 | 2.2 | 6.6 | 27.25 | 9.75 | | | | 06-31 | 08/01/06 |
| Quest Applied Technologies | T-Bone | 176.0 | 21.2 | 1.6 | 1.2 | 17.4 | 1.9 | 5.7 | 35.75 | 6.35 | | | | 07-26 | 05/18/07 |
| Quest Applied Technologies | Wildfire | 176.0 | 21.2 | 2.4 | 1.2 | 17.7 | 1.7 | 5.7 | 61.75 | 9.64 | | | | 06-54 | 12/19/06 |
| Reptilian Disc Golf | Scale | 174.3 | 21.0 | 2.2 | 1.5 | 19.0 | 1.0 | 7.1 | 68.00 | 10.43 | | | | 14-92 | 12/18/14 |
| Reptilian Disc Golf | Serpent | 174.3 | 21.0 | 2.2 | 1.5 | 19.1 | 1.0 | 7.1 | 86.75 | 4.88 | | | | 15-16 | 02/06/15 |
| Rip Disc Golf | Ballistic | 175.1 | 21.1 | 2.0 | 1.2 | 16.4 | 2.4 | 5.7 | 33.25 | 11.45 | | | | 12-38 | 09/19/12 |
| Rip Disc Golf | Graboide | 176.0 | 21.2 | 2.5 | 1.7 | 18.6 | 1.3 | 8.0 | 73.00 | 7.94 | | | | 11-16 | 04/11/11 |
| Rip Disc Golf | Relic | 176.0 | 21.2 | 2.4 | 1.7 | 18.6 | 1.3 | 8.0 | 76.50 | 8.51 | V | 142.0 | | 11-17 | 04/11/11 |
| Salient Discs | Antidote | 178.5 | 21.5 | 2.0 | 1.3 | 18.9 | 1.3 | 6.0 | 43.25 | 6.69 | | | | 13-75 | 12/16/13 |
| Salient Discs | Backdraft | 176.8 | 21.3 | 2.0 | 1.3 | 16.4 | 2.4 | 6.1 | 30.50 | 8.05 | | | | 14-52 | 05/22/14 |
| Salient Discs | Prometheus | 187.6 | 22.6 | 1.6 | 1.2 | 17.5 | 2.6 | 5.3 | 26.50 | 6.12 | | | | 13-57 | 09/03/13 |
| Salient Discs | Touch | 176.0 | 21.2 | 2.0 | 1.4 | 17.8 | 1.2 | 6.6 | 54.75 | 5.10 | | | | 14-61 | 07/20/14 |
| Salient Discs | Vein | 176.8 | 21.3 | 1.9 | 1.3 | 17.4 | 1.8 | 6.1 | 27.75 | 7.94 | | | | 14-39 | 05/13/14 |
| Skyiron | Flagship | 178.5 | 21.5 | 1.3 | 1.1 | 17.2 | 2.2 | 5.1 | 26.25 | 9.98 | | | | 11-22 | 06/07/11 |
| Skyquest Discs | Chainzilla | 176.0 | 21.2 | 2.2 | 1.7 | 19.2 | 1.0 | 8.0 | 56.00 | 4.42 | | | | 14-80 | 10/17/14 |
| Skyquest Discs | L13 | 176.0 | 21.2 | 1.5 | 1.1 | 17.0 | 2.1 | 5.2 | 26.75 | 6.46 | | | | 11-40 | 10/25/11 |
| Skyquest Discs | L13 (retooled) | 175.1 | 21.1 | 1.5 | 1.1 | 16.9 | 2.1 | 5.2 | 26.75 | 6.35 | | | | 12-17 | 03/25/12 |
| Skyquest Discs | Medusa | 176.0 | 21.2 | 1.5 | 1.1 | 17.0 | 2.1 | 5.2 | 29.25 | 5.33 | | | | 11-13 | 03/21/11 |
| Snap Discsports | Helios | 180.1 | 21.7 | 1.6 | 1.2 | 17.0 | 2.3 | 5.5 | 28.50 | 11.79 | | | | 08-03 | 01/15/08 |
| Snap Discsports | Whitler | 187.6 | 22.6 | 3.0 | 1.6 | 21.2 | 0.7 | 7.1 | 78.75 | 2.95 | V | 151.4 | | 06-16 | 04/03/06 |
| UB Disc Golf - Hand Candy | Lex | 177.6 | 21.4 | 2.1 | 1.6 | 19.6 | 0.9 | 7.5 | 77.00 | 4.54 | | | | 14-43 | 05/13/14 |
| UB Disc Golf - Hand Candy | Procul | 175.1 | 21.1 | 1.6 | 1.3 | 16.4 | 2.3 | 6.2 | 27.00 | 8.28 | | | | 13-51 | 08/29/13 |
| UB Disc Golf - Hand Candy | Monstrum | 175.1 | 21.1 | 1.5 | 1.3 | 16.4 | 2.4 | 6.2 | 31.25 | 7.26 | | | | 14-38 | 05/04/14 |
| Vibram Disc Golf | Ascent | 175.1 | 21.1 | 1.6 | 1.2 | 17.3 | 1.9 | 5.7 | 30.00 | 4.42 | | | | 10-26 | 08/23/10 |
| Vibram Disc Golf | Ibex | 178.5 | 21.5 | 2.4 | 1.3 | 18.9 | 1.3 | 6.0 | 46.25 | 7.14 | | | | 11-06 | 02/24/11 |
| Vibram Disc Golf | Four20 | 174.3 | 21.0 | 1.7 | 1.1 | 16.2 | 2.4 | 5.2 | 26.00 | 6.69 | | | | 14-32 | 03/31/14 |
| Vibram Disc Golf | Lace | 174.3 | 21.0 | 1.8 | 1.1 | 16.2 | 2.4 | 5.2 | 28.50 | 8.05 | | | | 12-47 | 10/30/12 |
| Vibram Disc Golf | Obex | 178.5 | 21.5 | 2.1 | 1.2 | 18.9 | 1.3 | 5.6 | 41.00 | 4.54 | | | | 12-26 | 06/27/12 |
| Vibram Disc Golf | O-Lace | 174.3 | 21.0 | 1.7 | 1.1 | 16.3 | 2.3 | 5.2 | 26.00 | 6.58 | | | | 13-43 | 06/25/13 |
| Vibram Disc Golf | Ridge | 175.1 | 21.1 | 2.0 | 1.6 | 19.3 | 0.9 | 7.6 | 61.25 | 8.05 | | | | 09-28 | 12/03/09 |
| Vibram Disc Golf | Trak | 174.3 | 21.0 | 1.7 | 1.2 | 17.2 | 1.9 | 5.7 | 33.25 | 6.12 | | | | 11-21 | 05/26/11 |
| Vibram Disc Golf | Trek | 174.3 | 21.0 | 1.8 | 1.1 | 17.2 | 1.9 | 5.2 | 30.75 | 6.24 | | | | 11-06 | 02/24/11 |
| Vibram Disc Golf | Solace | 175.1 | 21.1 | 1.7 | 1.1 | 16.2 | 2.4 | 5.2 | 27.00 | 9.30 | | | | 14-62 | 08/05/14 |
| Vibram Disc Golf | Sole | 176.0 | 21.2 | 2.3 | 1.5 | 19.2 | 1.0 | 7.1 | 58.75 | 5.10 | | | | 11-29 | 06/24/11 |
| Vibram Disc Golf | Summit | 175.1 | 21.1 | 1.9 | 1.2 | 19.2 | 0.9 | 5.7 | 61.25 | 0.56 | | | | 09-04 | 01/28/09 |
| Vibram Disc Golf | unLace | 175.1 | 21.1 | 1.9 | 1.1 | 16.3 | 2.4 | 5.2 | 28.75 | 6.21 | | | | 13-44 | 06/25/13 |
| Vibram Disc Golf | V.P. | 175.1 | 21.1 | 2.0 | 1.6 | 19.1 | 0.9 | 7.6 | 66.75 | 4.76 | | | | 09-01 | 01/19/09 |
| Westside Golf Discs | Bard (Laulaja ¹) | 180.1 | 21.7 | 1.9 | 1.3 | 18.8 | 1.5 | 6.0 | 42.50 | 7.14 | | | | 15-11 | 02/06/15 |
| Westside Golf Discs | Boatman (Tuonelan Lautturi ¹) | 177.6 | 21.4 | 1.9 | 1.3 | 17.0 | 2.2 | 6.1 | 29.50 | 10.32 | | | | 11-12 | 03/21/11 |
| Westside Golf Discs | Boatman VIP Air (VIP Air Tuonelan Lautturi ¹) | 177.6 | 21.4 | 1.9 | 1.3 | 17.0 | 2.2 | 6.1 | 29.50 | 10.66 | | | | 14-24 | 03/24/14 |
| Westside Golf Discs | Giant (Vipunen ¹) | 175.1 | 21.1 | 1.7 | 1.2 | 16.6 | 2.3 | 5.7 | 29.25 | 10.89 | | | | 12-16 | 03/25/12 |
| Westside Golf Discs | Giant VIP Air (VIP Air Vipunen ¹) | 175.1 | 21.1 | 1.7 | 1.2 | 16.6 | 2.3 | 5.7 | 29.25 | 10.43 | | | | 13-22 | 03/10/13 |

PDGA Approved Golf Discs

February 25, 2015



| MANUFACTURER / DISTRIBUTOR | DISC MODEL | Max. Weight (g) | Diameter (cm) | Height (cm) | Rim Depth (cm) | Inside Rim Diameter (cm) | Rim Thickness (cm) | Rim Depth/ Diam. Ratio (%) | Rim Config. | Flexibility (kg) | Class S V * | Max Wt (g) Vint | Last Year Prod | Cert. # | Date Approved |
|----------------------------|---|-----------------|---------------|-------------|----------------|--------------------------|--------------------|----------------------------|-------------|------------------|-------------|-----------------|----------------|---------|---------------|
| Westside Golf Discs | Harp (<i>Kannel</i> ¹) | 176.0 | 21.2 | 1.6 | 1.4 | 19.0 | 1.1 | 6.6 | 65.00 | 11.79 | | | | 13-67 | 10/28/13 |
| Westside Golf Discs | Hatchet (<i>Sotakipves</i> ¹) | 176.8 | 21.3 | 2.0 | 1.2 | 17.6 | 1.9 | 5.6 | 27.00 | 8.96 | | | | 13-68 | 10/28/13 |
| Westside Golf Discs | King (<i>Pohjolan Isäntä</i> ¹) | 175.1 | 21.1 | 1.9 | 1.1 | 16.5 | 2.3 | 5.2 | 29.25 | 10.55 | | | | 10-36 | 11/16/10 |
| Westside Golf Discs | King VIP Air (<i>VIP Air Pohjolan Isäntä</i> ¹) | 176.0 | 21.2 | 1.8 | 1.1 | 16.5 | 2.3 | 5.2 | 29.25 | 8.39 | | | | 12-43 | 10/30/12 |
| Westside Golf Discs | Northman (<i>Pohjan Poika</i> ¹) | 178.5 | 21.5 | 1.7 | 1.1 | 17.5 | 2.0 | 5.1 | 28.25 | 9.64 | | | | 09-29 | 12/03/09 |
| Westside Golf Discs | Northman VIP Air (<i>VIP Air Pohjan Poika</i> ¹) | 177.6 | 21.4 | 2.0 | 1.1 | 17.4 | 2.0 | 5.1 | 28.25 | 8.96 | | | | 14-25 | 03/24/09 |
| Westside Golf Discs | Seer (<i>Ennustaja</i>) | 176.0 | 21.2 | 1.8 | 1.1 | 17.7 | 1.8 | 5.2 | 42.50 | 7.60 | | | | 15-12 | 02/06/15 |
| Westside Golf Discs | Shield (<i>Kilpi</i> ¹) | 175.1 | 21.1 | 2.5 | 1.4 | 19.0 | 1.0 | 6.6 | 67.00 | 5.33 | | | | 14-26 | 03/24/14 |
| Westside Golf Discs | Stag (<i>Hiiden Hirvi</i> ¹) | 176.0 | 21.2 | 1.8 | 1.2 | 17.4 | 1.9 | 5.7 | 29.25 | 9.30 | | | | 12-40 | 10/30/12 |
| Westside Golf Discs | Stag VIP Air (<i>VIP Air Hiiden Hirvi</i> ¹) | 175.1 | 21.1 | 1.8 | 1.2 | 17.3 | 1.9 | 5.7 | 29.25 | 8.85 | | | | 13-23 | 03/10/13 |
| Westside Golf Discs | Sorcerer (<i>Tietäjä</i> ¹) | 176.0 | 21.2 | 1.6 | 1.1 | 16.7 | 2.3 | 5.2 | 32.25 | 9.64 | | | | 13-69 | 10/28/13 |
| Westside Golf Discs | Swan (<i>Tuonelan Joutsen</i> ¹) | 175.1 | 21.1 | 2.0 | 1.4 | 19.0 | 1.1 | 6.6 | 58.50 | 5.44 | | | | 10-15 | 06/01/10 |
| Westside Golf Discs | Swan (retooled, <i>Tuonelan Joutsen</i> ¹) | 175.1 | 21.1 | 1.9 | 1.4 | 19.0 | 1.1 | 6.6 | 55.75 | 7.82 | | | | 10-32 | 10/12/10 |
| Westside Golf Discs | Swan Reborn (<i>Tuonelan Joutsen</i> ¹) | 175.1 | 21.1 | 1.9 | 1.3 | 18.9 | 1.1 | 6.2 | 52.50 | 2.83 | | | | 15-23 | 02/06/15 |
| Westside Golf Discs | Sword (<i>Kalevan Miekka</i> ¹) | 176.0 | 21.2 | 1.8 | 1.2 | 16.8 | 2.2 | 5.7 | 28.75 | 9.41 | | | | 11-19 | 05/06/11 |
| Westside Golf Discs | Sword VIP Air (<i>VIP Air Kalevan Miekka</i> ¹) | 175.1 | 21.1 | 1.7 | 1.2 | 16.7 | 2.2 | 5.7 | 28.75 | 8.96 | | | | 13-24 | 03/10/13 |
| Westside Golf Discs | Tursas (<i>Tursas</i> ¹) | 180.1 | 21.7 | 1.7 | 1.3 | 18.9 | 1.4 | 6.0 | 42.50 | 7.82 | | | | 12-41 | 10/30/12 |
| Westside Golf Discs | Tursas VIP Air (<i>VIP Air Tursas</i> ¹) | 179.3 | 21.6 | 1.7 | 1.3 | 18.8 | 1.4 | 6.0 | 42.50 | 8.73 | | | | 14-27 | 03/24/14 |
| Westside Golf Discs | Underworld (<i>Manala</i> ¹) | 176.8 | 21.3 | 1.8 | 1.2 | 17.4 | 1.9 | 5.6 | 30.25 | 8.39 | | | | 12-42 | 10/30/12 |
| Westside Golf Discs | Underworld VIP Air (<i>VIP Air Manala</i> ¹) | 176.8 | 21.3 | 1.6 | 1.2 | 17.4 | 1.9 | 5.6 | 30.25 | 8.85 | | | | 14-28 | 03/24/14 |
| Westside Golf Discs | Warship (<i>Pursi</i> ¹) | 180.1 | 21.7 | 2.1 | 1.3 | 18.9 | 1.4 | 6.0 | 31.00 | 8.05 | | | | 11-47 | 12/11/11 |
| Westside Golf Discs | Warship VIP Air (<i>VIP Air Pursi</i> ¹) | 180.1 | 21.7 | 1.9 | 1.3 | 18.9 | 1.4 | 6.0 | 31.00 | 7.37 | | | | 13-25 | 03/10/13 |
| Westside Golf Discs | World (<i>Maailma</i> ¹) | 176.0 | 21.2 | 1.6 | 1.2 | 16.3 | 2.4 | 5.7 | 28.00 | 10.55 | | | | 13-70 | 10/28/13 |
| Wham-O / DTW | 119g (40 Mold) | 195.1 | 23.5 | 2.6 | 1.7 | 22.3 | 0.6 | 7.2 | 95.25 | 6.80 | V | 157.5 | | 74-01 | 01/01/74 |
| Wham-O / DTW | 141g (50 Mold) | 200.0 | 25.9 | 2.8 | 1.8 | 24.7 | 0.6 | 6.9 | 101.50 | 4.50 | S V | 173.5 | | 74-02 | 01/01/74 |
| Wham-O / DTW | 165g (80 Mold, High Rigidity) | 200.0 | 26.9 | 3.1 | 1.9 | 25.7 | 0.6 | 7.1 | 94.75 | 4.76 | S V | 180.2 | | 74-03 | 01/01/74 |
| Wham-O / DTW | 44 Mold | 179.3 | 21.6 | 2.2 | 1.2 | 18.4 | 1.6 | 5.6 | 31.50 | 12.25 | | | | 93-04 | 06/30/93 |
| Wham-O / DTW | 77 Mold | 180.1 | 21.7 | 2.0 | 1.1 | 19.3 | 1.2 | 5.1 | 34.75 | 7.71 | | | | 90-07 | 01/01/90 |
| Wham-O / DTW | 78 Mold | 180.1 | 21.7 | 2.0 | 1.1 | 19.3 | 1.2 | 5.1 | 33.75 | 11.80 | | | | 90-08 | 01/01/90 |
| Wham-O / DTW | 86 Mold | 175.1 | 21.1 | 2.6 | 1.4 | 19.1 | 1.0 | 6.6 | 30.25 | 4.50 | | | | 84-03 | 01/01/84 |
| Wham-O / DTW | 86 Softie | 176.8 | 21.3 | 2.6 | 1.5 | 19.3 | 1.0 | 7.0 | 48.00 | 3.51 | | | | 91-08 | 01/01/91 |
| Wham-O / DTW | 90 Mold | 200.0 | 27.0 | 3.1 | 1.8 | 25.9 | 0.5 | 6.7 | 94.75 | 2.95 | S V | 180.9 | | 82-10 | 01/01/82 |
| Wham-O / DTW | 91 Mold | 176.0 | 21.2 | 2.1 | 1.2 | 19.4 | 0.9 | 5.7 | 38.25 | 10.00 | | | | 87-01 | 01/01/87 |
| Wham-O / DTW | 97g (70 Mold) | 186.8 | 22.5 | 3.0 | 1.7 | 21.3 | 0.6 | 7.6 | 87.50 | 9.50 | V | 150.8 | | 78-05 | 01/01/78 |
| Wham-O / DTW | 97g (71 Mold) | 186.8 | 22.5 | 3.0 | 1.7 | 21.3 | 0.6 | 7.6 | 87.50 | 9.50 | V | 150.8 | | 78-06 | 01/01/78 |
| Wham-O / DTW | Apollo | 179.3 | 21.6 | 2.0 | 1.1 | 19.2 | 1.2 | 5.1 | 32.25 | 12.25 | | | | 97-05 | 05/12/97 |
| Wham-O / DTW | Fairway Driver | 175.1 | 21.1 | 1.6 | 1.2 | 17.1 | 2.0 | 5.7 | 26.00 | 10.87 | | | | 11-05 | 02/18/11 |
| Wham-O / DTW | Fastback (all molds) | 196.7 | 23.7 | 2.8 | 1.7 | 22.4 | 0.6 | 7.2 | 79.50 | 2.49 | S V | 158.8 | | 71-01 | 01/01/71 |
| Wham-O / DTW | Gemini | 175.1 | 21.1 | 2.5 | 1.5 | 19.5 | 0.8 | 7.1 | 80.00 | 3.20 | V | 141.4 | | 97-08 | 11/26/97 |
| Wham-O / DTW | Master | 200.0 | 27.5 | | | | | | | | S V | 184.3 | | 67-01 | 01/01/67 |
| Wham-O / DTW | Max Flight | 184.3 | 22.2 | 2.3 | 1.3 | 19.8 | 1.2 | 5.9 | 42.75 | 2.95 | | | | 97-06 | 11/26/97 |
| Wham-O / DTW | Mid Range Approach | 179.3 | 21.6 | 2.2 | 1.3 | 19.2 | 1.2 | 6.0 | 39.25 | 11.68 | | | | 07-23 | 04/11/07 |
| Wham-O / DTW | Midnight Flyer (100 mold) | 200.0 | 24.9 | 2.8 | 1.8 | 23.7 | 0.6 | 7.2 | 97.25 | 5.00 | S V | 166.8 | | 78-03 | 01/01/78 |
| Wham-O / DTW | Midnight Flyer (40 mold) | 195.1 | 23.5 | 2.6 | 1.7 | 22.3 | 0.6 | 7.2 | 95.25 | 6.80 | V | 157.5 | | 78-01 | 01/01/78 |
| Wham-O / DTW | Midnight Flyer (41F mold) | 195.1 | 23.5 | 2.6 | 1.7 | 22.3 | 0.6 | 7.2 | 95.25 | 6.80 | V | 157.5 | | 80-03 | 01/01/80 |
| Wham-O / DTW | Midnight Flyer (41G mold) | 195.1 | 23.5 | 2.6 | 1.7 | 22.3 | 0.6 | 7.2 | 95.25 | 6.80 | V | 157.5 | | 80-06 | 01/01/80 |

PDGA Approved Golf Discs



February 25, 2015

| MANUFACTURER / DISTRIBUTOR | DISC MODEL | Max. Weight (g) | Diameter (cm) | Height (cm) | Rim Depth (cm) | Inside Rim Diameter (cm) | Rim Thickness (cm) | Rim Depth/ Diam. Ratio (%) | Rim Config. | Flexibility (kg) | Class S V * | Max Wt (g) Vint | Last Year Prod | Cert. # | Date Approved |
|----------------------------|-----------------------------------|-----------------|---------------|-------------|----------------|--------------------------|--------------------|----------------------------|-------------|------------------|-------------|-----------------|----------------|---------|---------------|
| Wham-O / DTW | Midnight Flyer (42 mold) | 195.1 | 23.5 | 2.6 | 1.7 | 22.3 | 0.6 | 7.2 | 95.25 | 6.80 | V | 157.5 | | 80-04 | 01/01/80 |
| Wham-O / DTW | Midnight Flyer (50 Mold series) | 200.0 | 25.9 | 2.8 | 1.8 | 24.7 | 0.6 | 6.9 | 101.50 | 4.50 | S V | 173.5 | | 78-02 | 01/01/78 |
| Wham-O / DTW | Midnight Flyer (70 mold) | 186.8 | 22.5 | 3.0 | 1.7 | 21.3 | 0.6 | 7.6 | 87.50 | 9.50 | V | 150.8 | | 80-08 | 01/01/80 |
| Wham-O / DTW | Midnight Flyer (71 mold) | 186.8 | 22.5 | 3.0 | 1.7 | 21.3 | 0.6 | 7.6 | 87.50 | 9.50 | V | 150.8 | | 80-09 | 01/01/80 |
| Wham-O / DTW | Midnight Flyer (80 mold series) | 200.0 | 26.9 | 3.1 | 1.9 | 25.7 | 0.6 | 7.1 | 94.75 | 4.76 | S V | 180.2 | | 78-04 | 01/01/78 |
| Wham-O / DTW | Midnight Flyer (80 mold) | 200.0 | 26.9 | 3.1 | 1.9 | 25.7 | 0.6 | 7.1 | 94.75 | 4.76 | S V | 180.2 | | 76-02 | 01/01/76 |
| Wham-O / DTW | Midnight Flyer (Fast Back) | 196.7 | 23.7 | 2.8 | 1.7 | 22.4 | 0.6 | 7.2 | 79.50 | 2.49 | S V | 158.8 | | 80-05 | 01/01/80 |
| Wham-O / DTW | Night Flyer (40 mold) | 195.1 | 23.5 | 2.6 | 1.7 | 22.3 | 0.6 | 7.2 | 95.25 | 6.80 | V | 157.5 | | 76-01 | 01/01/76 |
| Wham-O / DTW | Olympic/Collegiate (100 Mold) | 200.0 | 24.9 | 2.8 | 1.8 | 23.7 | 0.6 | 7.2 | 97.25 | 5.00 | S V | 166.8 | | 79-02 | 01/01/79 |
| Wham-O / DTW | Pluto Platter | 193.4 | 23.3 | 3.0 | 1.4 | 21.9 | 0.7 | 6.0 | 77.50 | 1.70 | V | 156.1 | | 07-39 | 07/10/07 |
| Wham-O / DTW | Professional (all molds) | 198.4 | 23.9 | 3.0 | 1.7 | 22.7 | 0.6 | 7.1 | 89.00 | 3.18 | S V | 160.1 | | 64-01 | 01/01/64 |
| Wham-O / DTW | S Driver | 175.1 | 21.1 | 1.6 | 1.2 | 17.1 | 2.0 | 5.7 | 26.00 | 8.62 | | | | 08-26 | 07/23/08 |
| Wham-O / DTW | Super Pro (60 Mold series) | 200.0 | 25.5 | 2.8 | 1.8 | 24.3 | 0.6 | 7.1 | 86.00 | 2.38 | S V | 170.9 | | 73-01 | 01/01/73 |
| Wham-O / DTW | Superturn Driver | 174.3 | 21.0 | 2.0 | 1.2 | 17.5 | 1.7 | 5.7 | 29.50 | 10.21 | | | | 07-40 | 07/10/07 |
| Wham-O / DTW | The Tool (T501 Mold) | 200.0 | 27.1 | 3.6 | 2.1 | 25.8 | 0.7 | 7.7 | 96.75 | 5.67 | S V | 181.6 | | 95-17 | 08/10/95 |
| Wham-O / DTW | Touchline Bank/Long Range Driver | 180.1 | 21.7 | 2.1 | 1.2 | 19.3 | 1.2 | 5.5 | 41.75 | 6.69 | | | | 03-16 | 10/23/03 |
| Wham-O / DTW | Touchline Over | 175.1 | 21.1 | 2.0 | 1.2 | 17.6 | 1.8 | 5.7 | 35.25 | 9.30 | | | | 03-19 | 10/27/03 |
| Wham-O / DTW | Touchline Putter/Putter | 176.0 | 21.2 | 2.1 | 1.5 | 19.3 | 0.9 | 7.1 | 53.25 | 6.01 | | | | 03-18 | 10/23/03 |
| Wham-O / DTW | Touchline True/Mid Range Approach | 180.1 | 21.7 | 2.1 | 1.4 | 19.3 | 1.2 | 6.5 | 45.75 | 6.56 | | | | 03-17 | 10/23/03 |
| Wham-O / DTW | Touchline Under | 175.1 | 21.1 | 1.7 | 1.2 | 17.3 | 1.9 | 5.7 | 34.75 | 9.75 | | | | 03-20 | 10/27/03 |
| Wham-O / DTW | Turnover Driver | 180.1 | 21.7 | 2.1 | 1.1 | 19.2 | 1.2 | 5.1 | 36.00 | 10.09 | | | | 07-24 | 04/11/07 |
| Wham-O / DTW | Voyager | 175.1 | 21.1 | 1.7 | 1.1 | 17.9 | 1.6 | 5.2 | 30.75 | 9.30 | | | | 97-01 | 01/28/97 |
| Wham-O / DTW | Voyager II | 175.1 | 21.1 | 1.6 | 1.2 | 17.7 | 1.7 | 5.7 | 28.00 | 7.94 | | | | 97-07 | 11/26/97 |
| Yikun Sports | 135G UltiPro Junior Ultimate disc | 199.2 | 24.0 | 3.1 | 1.7 | 22.6 | 0.7 | 7.1 | 85.75 | 9.41 | S | | | 13-77 | 01/16/13 |
| Yikun Sports | 150G WaKa Freestyle Disc | 200.0 | 26.9 | 3.4 | 2.0 | 25.7 | 0.6 | 7.4 | 114.25 | 6.69 | S V | 180.2 | | 13-78 | 01/16/13 |
| Yikun Sports | 175G UltiPro Ultimate Disc | 200.0 | 27.3 | 3.5 | 1.9 | 25.9 | 0.7 | 7.0 | 93.00 | 10.21 | S | | | 13-79 | 01/16/13 |
| Yikun Sports | Claws | 176.0 | 21.2 | 2.0 | 1.7 | 19.4 | 0.9 | 8.0 | 85.00 | 7.14 | | | | 14-17 | 03/09/14 |
| Yikun Sports | Da'e | 174.3 | 21.0 | 1.7 | 1.1 | 16.2 | 2.4 | 5.2 | 27.50 | 11.57 | | | | 14-44 | 05/13/14 |
| Yikun Sports | Gou | 176.8 | 21.3 | 1.8 | 1.2 | 17.4 | 1.9 | 5.6 | 33.75 | 10.87 | | | | 14-45 | 05/13/14 |
| Yikun Sports | Hu | 176.0 | 21.2 | 1.8 | 1.1 | 17.4 | 1.9 | 5.2 | 31.75 | 11.34 | | | | 14-46 | 05/13/14 |
| Yikun Sports | Jiao | 176.0 | 21.2 | 1.6 | 1.1 | 18.0 | 1.6 | 5.2 | 32.00 | 5.56 | | | | 14-68 | 08/26/14 |
| Yikun Sports | Jun | 175.1 | 21.1 | 2.0 | 1.2 | 16.8 | 2.1 | 5.7 | 29.75 | 11.91 | | | | 14-47 | 05/13/14 |
| Yikun Sports | Gui | 175.1 | 21.1 | 1.8 | 1.5 | 19.1 | 1.0 | 7.1 | 59.00 | 8.39 | | | | 14-18 | 03/09/14 |
| Yikun Sports | Wei | 175.1 | 21.1 | 1.7 | 1.1 | 17.1 | 2.0 | 5.2 | 30.25 | 10.55 | | | | 14-69 | 08/26/14 |
| Yikun Sports | Wings | 176.0 | 21.2 | 1.8 | 1.2 | 19.2 | 1.0 | 5.7 | 56.75 | 7.48 | | | | 14-19 | 03/09/14 |
| Yikun Sports | View | 175.1 | 21.1 | 2.0 | 1.2 | 17.6 | 1.7 | 5.7 | 32.75 | 9.98 | | | | 13-76 | 01/16/13 |
| Yikun Sports | Yao | 179.3 | 21.6 | 1.9 | 1.4 | 18.8 | 1.4 | 6.5 | 39.75 | 12.02 | | | | 13-72 | 11/01/13 |

1 - Finnish translations for disc models

* S = Super Class, V = Vintage Class